

Botanisches Centralblatt.

Verlag von Gustav Fischer in Jena.

Abonnement für das halbe Jahr (26 Nrn.) 15 Mark
durch alle Buchhandlungen und Postanstalten.

ZEISS PUNKTALGLÄSER

Punktuell abbildende Brillengläser
für Kurz- und Weitsichtigkeit und Astigmatismus



Beim Blicken durch das gewöhnliche nicht
punktuell abbildende Brillenglas werden
die Bilder nach dem Rande zu immer schlechter
wie die schematischen



Beim Blicken durch das punktuell abbildende
Brillenglas bleiben die Bilder von der Mitte
bis zum Rande gut
Darstellungen andeuten.

Zeiss-Punktalgläser vermitteln eine

deutliche Abbildung

bei jeder Blickrichtung von der Mitte bis zum Rande des Glases, da auch durch die Seitenteile des Glases deutlich gesehen wird, im Gegensatz zu den gewöhnlichen, nicht punktuell abbildenden Brillengläsern, die nur in dem mittleren Teil gute Bilder geben. Sie gewähren damit ein

wesentlich grösseres Blickfeld

als die gewöhnlichen, nicht punktuell abbildenden Brillengläser.

Der Träger von Zeiss-Punktalgläsern orientiert sich in der Umgebung ebenso wie der Normalsichtige durch das Blicken. Die Beweglichkeit seiner Augen wird nicht eingeschränkt, wie es bei den alten Brillengläsern der Fall ist, die den Brillenträger beim Fixieren oben, unten oder seitlich gelegener Objekte zu Kopfwendungen nötigen.

Zeiss-Punktalgläser ermöglichen die

Ausnutzung der natürlichen Beweglichkeit des Auges.

Brillen mit Punktalgläsern sind daher ohne Mechanismus als Schiessbrillen verwendbar.

Nur durch
Optiker
zu beziehen!

Berlin
Hamburg



Wien
Buenos
Aires

Prospekt Opto
40
kostenfrei.

+ Inhalt: +

- Anonymus**, Decades Kewenses, p. 26.
Anonymus, Diagnoses Africanæ. LXIV, p. 27.
Bailey and **Sinnot**, Investigations on the Phylogeny of the Angiosperms, II, Anatomical evidences of reduction in certain of the *Amentiferae*, p. 18.
Bailey, Powdery scab of potatoes in Oregon, p. 23.
Blake, A new *Vaccinium* from Costa Rica, p. 27.
Blake, A revision of *Salmea* and some allied genera (Conclusion), p. 27.
Blake, Two new *Hymenostephiums*, p. 27.
Blodgett, Sweet pea powdery mildew, p. 23.
Bottomley, Some Accessory Factors in Plant Growth and Nutrition, p. 20.
Britton, Studies of West Indian Plants. VI, p. 27.
Brown, *Sansevieria*, p. 28.
Collins, The chestnut bark disease on freshly fallen nuts, p. 23.
Coulter and **Land**, The origin of Monocotyledony, p. 19.
Delf, The algal Vegetation of some ponds on Hampstead Heath, p. 21.
Dixon, Ceylonese Mosses collected by the Rev. C. H. Binstead in 1913, p. 24.
Dyer-Thisleton, Flora Capensis. Vol. V. Sect. ii. Part II, p. 28.
Graves, Root rot of coniferous seedlings, p. 23.
Griffiths, On *Glaucocystis nostochinearum* Stizgs, p. 22.
Grove, *Pleodorina illinoensis* Koloid in Britain, p. 22.
Haumann-Merek, Etude phytogéographique de la région du Rio Negro inférieur, p. 28.
Hole, A new species of Forest Grass, p. 29.
Hodgetts, Vegetative Production of Flattened Protonema in *Tetraphis pellucida*, p. 25.
Hoffmann s.: **Pax**.
Hutchinson, New Tropical African species of *Ficus*, p. 29.
Land s.: **Coulter**.
Lecomte, Deux *Elaeagnus* nouveaux de l'Indo-Chine, p. 29.
Lecomte, Elaeagnacées de Chine et d'Indo-Chine, p. 29.
Lecomte, *Heritiera annamensis*, sp. nov., p. 30.
Lecomte, Un nouveau *Trichoscypha* du Congo français, p. 30.
†Legré, Herbarisations dans les Basses-Alpes [annotées par L.-A. Dessalle]. Avec une préface de l'abbé A. Richaud, p. 30.
Lett, Census Report on the Mosses of Ireland, p. 25.
Léveillé, Flora missionaria asiatica, p. 30.
Lundström, Plantae in horto botanico Bergiano annis 1912—13 critice examinatae. [Beobachtungen und Studien bei den in den Jahren 1912—13 ausgeführten Pflanzenbestimmungen im botanischen Garten Bergielund], p. 31.
Meinecke, Spore measurements, p. 17.
Merrill, A simple method of making carbon leaf impressions, p. 21.
Mogk, Untersuchungen über Korrelationen von Knospen und Sprossen, p. 17.
Moler, Ein Beitrag zur Kenntnis der Entbindung des durch *Azotobacter* fixierten Stickstoffes, p. 24.
Narita, Notulae ad algas Japoniae. II, p. 23.
Noté, Spredte Bemerkninger om Floraen i nordre Trondhjems Amt. [Zerstreute Bemerkungen über die Flora vom nördlichen Drontheim's Amt], p. 32.
O'Keeffe, Structure and Development of *Targionia hypophylla*, p. 25.
Pax und **Hoffmann**, Prähistorische Pflanzen aus Schlesien und der Ober-Lausitz, p. 21.
Sinnot s.: **Bailey**.
Smith, Note on *Rhododendron cyanocarpum*, Franchet, p. 32.
Starkey s.: **West**.
Stirton, Additional Mosses from Duncraig, West Ross-shire, p. 26.
Sudre, Matériaux pour l'étude du genre *Hieracium*. Fragment IV (1915), p. 32.
Thompson, An illustrated catalogue of American insect galls, p. 24.
Watson, A Somerset Heath and its bryophytic Zonation, p. 26.
West and **Starkey**, A Contribution to the Cytology and Life-History of *Zygnema ericetorum* (Kütz.) Hansg., with some remarks on the genus *Zyggonium*, p. 23.

Personalnachricht.

Prof. Ch. R. Zeller, p. 32.

Biochemischer Kreislauf des Phosphat-Ions im Boden.

Von

K. K. Hofrat Dr. Julius Stoklasa,

o. ö. Professor an der K. K. böhmischen technischen Hochschule und Direktor der Chemisch-physiologischen Versuchsstation in Prag.

Mit 12 Tafeln.

(Abdruck aus dem „Centralblatt für Bakteriologie, II. Abteilung.“) 1911.

Preis: 6 Mark.

Botanisches Centralblatt.

Referierendes Organ

der

Association Internationale des Botanistes
für das Gesamtgebiet der Botanik.

Herausgegeben unter der Leitung

des Präsidenten: des Vice-Präsidenten: des Secretärs:
Dr. D. H. Scott. Prof. Dr. Wm. Trelease. Dr. J. P. Lotsy.

und der Redactions-Commissions-Mitglieder:

Prof. Dr. Wm. Trelease, Dr. C. Bonaventura, A. D. Cotton,
Prof. Dr. C. Wehmer und Dr. C. H. Ostenfeld.

von zahlreichen Specialredacteurs in den verschiedenen Ländern.

Dr. J. P. Lotsy, Chefredacteur.

No. 2.	Abonnement für das halbe Jahr 15 Mark durch alle Buchhandlungen und Postanstalten.	1916.
--------	---	-------

Alle für die Redaction bestimmten Sendungen sind zu richten an:
Redaction des Botanischen Centralblattes, Haarlem (Holland), Spaarne 17.

Meinecke, E. P., Spore measurements. (Science. n. s. XLII.
p. 430—431. Sept. 24, 1915.)

Suggestion that not only the extremes be given but also the
range of most frequent sizes — as "standard". Trelease.

Mogk, W., Untersuchungen über Korrelationen von
Knospen und Sprossen. (Dissertat. 96 pp. Leipzig 1914.)

Das Wachstum von Zweigen diverser Laub- und Nadelbäume und von Keimpflanzen von Papilionaceen (*Vicia Faba*, *Phaseolus multiflorus*, *Lathyrus odoratus*) wird durch einen Gipsverband gehemmt. Hierbei zeigte es sich, dass die Gestaltung der Verzweigungssysteme namentlich von der Verteilung der einzelnen Triebe an der Hauptachse abhängt, ferner vom Entwicklungszustande der einzelnen Triebe. Wenn 2 Triebe voneinander abhängig sind, so bleibt dieses Verhältnis nicht labil. Das Wachstum der einzelnen Triebe wird durch die genannte Abhängigkeit \pm induzierend bestimmt. Für den Grad der Induktion sind folgende Faktoren wichtig: der Ort, wo der korrelativ beeinflusste Spross an der Mutterachse eingefügt ist, die Zahl und Anordnung der Sprosse, die ihn beeinflussen, der Entwicklungszustand der verschiedenen Achsen, die Zeitdauer, während der er korrelativ beeinflusst wird. Die Induktion eines Sprosses erfolgt viel schneller und deutlicher, wenn er wächst, nicht wenn er auf mechanische Weise am Wachstume gehindert wird. Matouschek (Wien).

Bailey, I. W. and E. W. Sinnott. Investigations on the Phylogeny of the Angiosperms, II, Anatomical evidences of reduction in certain of the *Amentiferae*. (Botanical Gazette. LVIII. p. 36—60. Pl. III—V. 3 textfig. 1914.)

The best way to give an idea of the contents of this important paper is to copy the summary and conclusions published at the end of this paper.

The "aggregate" ray hypothesis developed by Jeffrey and amplified by a number of students working under his direction has an important bearing upon the phylogeny of the angiosperms, since it indicates that certain of the *Amentiferae* are in all probability the most primitive living representatives of the phylum. There appear to be serious objections to this hypothesis, however.

a. Objections to the "aggregate" ray hypothesis.

1. The phenomenon of chalazogamy, which was considered at first of great phylogenetic value, cannot, in view of later investigations, be considered a reliable criterion for determining the phylogenetic position of plants.

2. The occurrence of so-called "aggregate" rays in the tertiary does not appear to be significant, since "multiseriate" rays, which are considered to be a comparatively recent adaptation to the advent of a severe winter season and the consequent acquirement of the deciduous habit, are found in middle and upper cretaceous dicotyledons.

3. If "aggregate" and "compound" rays originated for the purpose of storing the assimilates descending from the persistent leaves of angiosperms in the warmer times of the Mesozoic and were later replaced by "multiseriate" rays as an adaptation to a period of refrigeration, we should hardly expect to find multiseriate rays well developed in families which have lived in tropical environments since ancient times.

4. The "aggregate" ray, which is comparatively infrequent, characterizes the obviously reduced xerophytic *Casuarinaceae*, and the temperate families *Betulaceae*, *Fagaceae*, and *Ericaceae*.

5. The "aggregate" ray hypothesis does not account for the development of "secondary" multiseriate rays nor for the origin of wide rays in the root.

6. The seedling evidence which has been advanced in favor of the origin of wide rays from congeries of uniseriate rays is invalidated by the occurrence of wide multiseriate rays in seedlings of oaks, and also in such supposedly conservative regions in this genus as the node, root, reproductive axis, and first annual ring.

b. "Aggregate" rays stages in the reduction and disintegration of wide multiseriate rays.

In the *Fagales* and *Casuarinaceae* there is a very complete series of forms in which the progressive reduction and disintegration of wide multiseriate rays can be traced in detail. During this process of reduction the wide rays appear usually at later and later stages in ontogeny, until they finally disappear. The so-called "aggregate" rays are stages in the disintegration of wide multiseriate rays. Stimulating types of growth and injury recall the wide rays in regions where they have been lost, and are frequently most effective in those regions which are supposed to be conservative, such as the first annual ring, root, node, and seedling. Stunted, suppressed, poorly nourished types of growth, and severe distorting injuries hasten the reduction and disintegration of the wide multiseriate

rays. In this process of reduction vestiges of the wide rays tend to be more persistent in the peduncle, root, and nodal regions.

c. The multiseriate ray a widened uniseriate ray.

The multiseriate ray does not appear to be of recent origin, since it is well developed in most tropical and temperate families and extends through the tertiary at least to the Middle Cretaceous. This type of ray structure originated in all probability by the gradual increase in width of the primitive uniseriate ray.

d. Phylogeny of the *Amentiferae*.

One character, of course, cannot be considered conclusive evidence for assuming that a plant or group of plants is "regressive" or reduced, since all characters will not be similarly affected by changes in the environment or physiological activity, but the reduction of wide rays in the *Fagales* indicates that this order, as well as the *Casuarinaceae*, has been subjected to a strong modifying influence. This fact, taken together with the occurrence of syncarpy, epigyny, abortive ovules, and vestiges of bisexual flowers and floral envelopes, emphasizes the importance of the frequently repeated suggestion, that the *Amentiferae*, instead of being the most primitive of angiosperms, are a group of specialized families, which have reached their present more or less simple structure through reduction from earlier and usually more complicated forms.

Jongmans.

Coulter, J. M. and W. J. G. Land. The origin of Monocotyledony. (Botanical Gazette. LVII. p. 509—519. Pl. 28, 29. 2 Textfig. 1914.)

The writers studied monocotyledonous and dicotyledonous seedlings of *Agapanthus umbellatus* L'Hér., from South Africa. The dicotyledonous condition is rare, only one specimen was found. On the writers' anatomical researches on these seedlings, on a comparison with *Sagittaria* and on the results, obtained in *Cyrtanthus sanguineus* by Miss Farrell, who found as developmental stages four cotyledons, two cotyledons and finally one large, the following conclusion is based.

In both Monocotyledons and Dicotyledons a peripheral cotyledonary zone gives rise to two or more growing points or primordia, and this is followed by a zonal development resulting in a cotyledonary ring or sheath of varying length. If both growing points continue to develop equally, the dicotyledonous condition is reached. If one of the growing points ceases to develop, the growth of the whole cotyledonary zone is associated with that of the other growing point, and the monocotyledonous condition is reached. In other words, monocotyledony is not the result of the fusion of two cotyledons, or of the suppression of one; but it is simply the continuation of one growing point on the cotyledonary ring, rather than a division of the growth between two growing points. In the same way polycotyledony is the appearance and continued development of more than two growing points on the cotyledonary ring. In fact, in *Cyrtanthus* four growing points appear at first, which under certain conditions might result in four cotyledons. The whole situation has its parallel in sympetalous corollas, in which there is zonal development associated with three, four, or five separate growing points, which, continuing development, are recognized as petals.

It follows, that cotyledons are always lateral structures arising

from a peripheral cotyledonary zone at the top of a more or less massive proembryo. This reduces cotyledony in general to a common basis in origin, the number of cotyledons being a secondary feature. The constancy in the number of cotyledons in a great group is no more to be wondered at than a similar constancy in the number of petals developed by the petaliferous zone.

The authors believe that massive proembryos, as occur in *Agapanthus* represent the primitive condition of proembryos in Angiosperms, and that only from such a proembryo could the monocotyledonous and dicotyledonous conditions have differentiated. After this differentiation, the difference has become relatively fixed by the reduction of proembryos to filaments. While massive proembryos occur in all the three great divisions of Angiosperms, they are notably present among the *Ranales*, from which the monocotyledonous branch seems to have arisen; and they are also retained by many of the Monocotyledons, notably the *Arales* and *Liliales*, and in these groups one may expect to find occasional dicotyledony or even polycotyledony.

Jongmans.

Bottomley, W. B., Some Accessory Factors in Plant Growth and Nutrition. (Proc. Roy. Soc. B. LXXXVIII. p. 237—247. 1914.)

The author reviews recent work on the subject of the presence of accessory factors in normal dietaries of man and animals. These substances are obtainable as phosphotungstic precipitates, and possibly belong to a new group of Nitrogenous compounds. They chiefly occur in plants and the investigation was to ascertain what part if any they play in the metabolism of the plant itself.

By treating peat with certain aerobic soil organisms it had been found that the bacterised peat contained in addition to the ordinary plant food constituents, a substance which stimulated growth in a remarkable manner and was possibly of the nature of an accessory food body. This substance proved to be soluble in water and alcohol and experiments shewed that it was absent from raw peat and present in bacterised peat as a result of the treatment. As the latter consists essentially in the production of soluble humates by bacterial action, tests were made to ascertain whether the chemical production of soluble humates would be equally effective. This was found not to be the case. The active substance is precipitated by phosphotungstic acid, and this fraction proved to be quite as effective as the original alcoholic extract of the peat. In order to determine how far the growth stimulant in bacterised peat resembled the "vitamines" of Furst, a further fractionation with silver was carried out. The dry substance obtained was added to the nutrient solution in which plants were grown and enabled them to utilise the food elements to a degree far in excess of those growing in a pure food solution.

Furst had demonstrated facts which indicated the possibility of the development during germination of special growth substances which enable the young embryos to utilise the food materials present in the seed. This may therefore be inhibited by the removal of the seed, as soon as possible after germination, and this would render the addition of such substances to the food solution much more marked. Wheat seedlings were treated thus and grown in pure food solution and in this plus the silver fraction of bacterised peat. After

50 days the percentage of increase in weight of the plants in the latter solution was 59.3% as compared with — 10.9% of those grown in the former solution.

The author infers from his work that during the bacterial decomposition of organic matter in the soil, accessory substances are formed, hence the beneficial effect on crops of farmyard and other organic manures.

Experiments are in progress to test the specific action of these accessory substances.

W. B. Brierley (Kew).

Merrill, E. D., A simple method of making carbon leaf impressions. (Torreya. XV. p. 175—181. f. 1—3. Aug. 1915.)

Pressure with the fingers against paper over transfer "carbon-paper", overlaying the leaf to be figured.

Trelease.

Pax, F. und K. Hoffmann. Prähistorische Pflanzen aus Schlesien und der Ober-Lausitz. (Engler, Botan. Jahrb. LII. 4—5. p. 346—353. 1915.)

Unter Verweis auf eine Arbeit von denselben Verfassern, Alte Kulturpflanzen aus Schlesien. [Engler, Botan. Jahrbücher, Bd. 50, Supplem. (1914) p. 593], werden aus Schlesien vorgeschichtliche Pflanzenreste von elf verschiedenen Fundorten besprochen. Es konnten folgende Nutzpflanzen bzw. Unkräuter festgestellt werden: *Triticum compactum* Host. *Fraxinus excelsior*? L., *Quercus* spec., *Pinus silvestris* L., *Spergula arvensis* L., *Panicum miliaceum*? L., *Pisum sativum* var. *microspermum* Pax, *Camelina sativa* (L.) Crantz [bisher nur aus Ungarn bekannt], *Agrostemma Githago* L., *Polygonum lapathifolium* L., *Polygonum convolvulus* L., *Chenopodium album* L. Die drei letzten Arten sind wichtig wegen ihres Stärkegehaltes. Da *Polygonum lapathifolium* L. in erheblicher Menge vorkam, so ist auch bei dieser Pflanze an regelmässigen Anbau zu denken. Dasselbe gilt wahrscheinlich auch für *Chenopodium album* L. Das allgemeine Bild ist dasselbe wie das von Striegau zur Hallstadtzeit.

In der Ober-Lausitz fand man bei Ostro hinter einer 6 m breiten und 4 m hohen Mauer aus Eichenstämmen einen ganzen Getreidespeicher mit vielen Centnern Vorrat aus der ältesten Eisenzeit (Hallstadtzeit). Es wurden bestimmt: Ungeschälte Hirze (wahrscheinlich *Panicum miliaceum* L.), *Camelina sativa* (L.) Crantz, *Triticum compactum* Host., *Hordeum sativum* L., *Secale cereale* L., *Lens esculenta* var. *microsperma* Heer, *Pisum sativum* var. *microspermum* Pax, *Vicia faba* var. *celtica* Heer, *Agrostemma Githago* L., *Echium vulgare*, *Vicia cracca* L., *Vicia tetrasperma* (L.) Mönch, *Barbarea vulgaris*? R. Br., *Bromus secalinus*? L., *Lolium perenne*? L., *Galium mollugo* L., *Cerastium* spec. *Agropyrum repens* (L.) P. Br., *Polygonum dumetorum* L., *Chenopodium album* L. und noch einige andere Samen von Ruderalpflanzen.

Nagel.

Delf, E. M., The algal Vegetation of some ponds on Hampstead Heath. (The new Phytologist. XIV. p. 63—80. 3 figs. London 1915.)

An account of the contents of a series of eight ponds, connected with one another, on Wylde's Farm, Hampstead Heath. A table is given of the species observed in the whole series of ponds,

together with the number of occurrences noted between January 1912 and March 1914. The author finds that there is a well-marked periodicity in the occurrence of the majority of the algae in these ponds. The season of greatest diversity and abundance was from February to April or May in the years recorded. This corresponds to a period of variable rainfall, gradually ascending temperatures, increasing light intensity, and of comparatively slight development of animal life. As the temperature rises from May to July the algae become greatly diminished, and many forms altogether disappear until late in the following October or early November. In 1912 there was a secondary maximum in October and November, falling off again in December and January; but in 1913 there was a slight increase in December, and an apparently stationary condition in January prior to the early vernal maximum (January to March) which followed. The *Protococcales* and *Ulotrichales* are dominant somewhat prior to the *Conjugatae* and *Heterokontae*, the *Conjugatae* dominating every other form in April and May. One species of *Spirogyra* is described, which is apparently a summer form. Ethel S. Gepp.

Griffiths, B. M., On *Glaucocystis Nostochinearum* Stzigs. (Ann. Bot. XXIX. CXV. p. 423—432. 1 pl. July 1915.)

The author describes this alga as unicellular, solitary, occurring in *Sphagnum* bogs; ellipsoidal, 30—45 μ long by 18—25 μ wide, with a small polar internal thickening at each end, and an external equatorial thickening; cell-wall mainly of cellulose; chromoplast of strongly recurved and radiating blue-green bands, which break up during cell-division; 2 or 4 or 8 daughter-cells are produced within the mother-cell; nucleus 'open' during the resting stage, it is a spherical mass of delicate reticulate unstainable protoplasm, distinguished from the general cytoplasm by containing no metachromatin granules; it lies close against the cell-wall. During the division stage, the nucleus contracts, becomes coarsely reticulate, moves to the centre of the cell, and becomes stainable; it contains chromatin, and has a nuclear membrane. The metachromatin granules of the cytoplasm disappear; and the nuclear chromatin aggregates into a large karyosome. This divides by transverse fission; so too does the cytoplasm; the halves round off, and daughter-cell walls are formed.

Glaucocystis probably belongs to the *Cyanophyceae*, because of the 'open' nucleus, the tendency of cytoplasmic division to take place independently of nuclear division, and the presence of phycocyanin in the chromoplast. On the other hand, the very high differentiation of the nucleus in the dividing stage, the elaborate chromoplast to which the phycocyanin is confined, the formation of daughter-cells like those of *Oocystis*, and the cellulose wall, are features that separate the plant from all other *Cyanophyceae*, and probably justify its being placed in a special group of *Cyanophyceae*.

Ethel S. Gepp.

Grove, W. B., *Pleodorina illinoiensis* Kofoid in Britain. (The New Phytologist. XIV. p. 169—182. 11 figs. London 1915.)

In March 1915 the author collected *Pleodorina illinoiensis* in cart-ruts at Harborne near Birmingham. He describes in detail and figures the structure, movements and life-history of this alga. He compares the genus with *Eudorina* and *Pandorina*, and finds

the distinction between *Eudorina* and *Pleodorina* to be but slight so far as it relates to the difference in shape of the colonies and in size among the cells in the same colony. *Pleodorina* is an advance on *Eudorina* in the direction of *Volvox*, where the distinction between somatic and reproductive cells is strongly accentuated.

Ethel S. Gepp.

Narita, S., Notulae ad algas Japoniae. II (Journ. Bot. IV. p. 212—216. London, July 1915.)

An enumeration of about thirty marine algae, with one novelty — *Caulerpa Okamurai* Web. f. nov. *minor*. He recognizes eight Japanese species of *Gelidium*. *Amphiroa nobilis* Kütz. and *A. dilatata* Lam. he regards as forms of *A. anceps*.

Ethel S. Gepp.

West, G. S. and C. B. Starkey. A Contribution to the Cytology and Life-History of *Zygnema ericetorum* (Kütz.) Hansg., with some remarks on the genus *Zygogonium*. (The New Phytologist. XIV. p. 194—205. 5 figs. London 1915.)

In each cell of *Zygnema ericetorum* there is normally only one large axile chloroplast of indefinite outline. It is usually constricted in the middle and in some cases twisted. There are two large pyrenoids, one in each half of the chloroplast. The latter usually is more or less masked by numerous oil-globules. A low temperature causes the cell-wall to thicken, and cysts to be produced. Filaments of the aquatic form grow well in a 0.2 per cent. Knop's solution. Filaments of the terrestrial form when placed in water gradually fragment and become dissociated into short lengths of cells; which may, however, ultimately grow into long filaments. If placed in 0.1 per cent. Knop's solution, similar fragmentation occurs, but is longer delayed. When allowed to dry gradually, the filaments fragment into thick-walled "cysts".

The genus *Zygogonium* as founded by Kützinger (1843) is untenable; and available evidence does not support the retention of *Zygogonium* on the basis put forward by De Bary (1858) and Wille (1909).

Ethel S. Gepp.

Bailey, F. D., Powdery scab of potatoes in Oregon. (Science. n. s. XLII. p. 424—425. Sept. 24, 1915.)

Referring to *Spongospora*.

Trelease.

Blodgett, F. M., Sweet pea powdery mildew. (Phytopathology. V. p. 237. Aug. 1915.)

Microsphaera Alni, on *Lathyrus*.

Trelease.

Collins, J. F., The chestnut bark disease on freshly fallen nuts. (Phytopathology. V. p. 233—235. f. 1. Aug. 1915.)

Referring to *Endothia parasitica*.

Trelease.

Graves, A. H., Root rot of coniferous seedlings. (Phytopathology. V. p. 213—217. f. 1—2. Aug. 1915.)

Ascribed to lack of oxygen in soil saturated with water.

Trelease.

Thompson, M. T., An illustrated catalogue of American insect galls. (Edited by E. P. Felt. Nassau, New York. 1915.)

A quarto of 116 pages with 21 plates comprising several hundred photographed illustrations: published and distributed by the Rhode Island Hospital Trust Company as executor under the will of the father of the author, himself deceased.

The plan of treatment is very convenient for the botanist who wishes promptly to ascertain the probable former of a gall that he encounters, for the Cynipid galls are arranged by host and keyed into comparatively small groups on obvious characters, — a supplemental list of galls of other causation being added. For the entomologist, an enumeration of the insects — with synonymy and hosts — is furnished.

Trelease.

Molér, T., Ein Beitrag zur Kenntnis der Entbindung des durch *Azotobacter* fixierten Stickstoffes. (Botaniska Notiser 1915. 4. p. 163—179. Fig. und 1 Taf. In deutscher Sprache).

Eine neukonstruierter Kulturfiltrierapparat wird vom Verf. beschrieben, der es ermöglicht, die Stoffwechselprodukte aus Bakterienkulturen zu entfernen und für sich zu untersuchen. Da die wachstumshemmenden Stoffe entfernt und mit steriler frischer Nahrung ersetzt werden können, kann die Methode zu einer experimentellen Prüfung der Lebenstheorie Weismann's benutzt werden. Was *Azotobacter* anbelangt, so scheinen die allerdings noch nicht abgeschlossenen Untersuchungen diese Theorie zu bestätigen, d. h. die einzelligen Organismen sind unter angenommenen optimalen Bedingungen einer Entwicklung ins unendliche fähig. Es tritt kein Absterben ein, das den Abbau des Bakterieneiweisses zur Folge haben könnte. *Az. chroococcum* scheidet während seines Lebens keine löslichen N-Verbindungen aus und wird höchstens nach seinem Tode als N-Lieferant für andere Organismen, (höhere Pflanzen) in Betracht kommen. Die Zellen dieses Organismus die mit ihrem fixierten Stickstoff stark oekonomisieren, treten bei Nahrungsmangel in ein Ruhestadium ein. Dem *Azotobacter*-Eiweisse gegenüber bleiben proteolytische Enzyme bakteriellen Ursprungs (wie Pyocyanase) ganz unwirksam; die in Rohkulturen auftretenden löslichen N-Mengen sind sicherlich nicht durch eine solche Fermentwirkung zu erklären. In der Natur bei der Entbindung des Stickstoffs spielt das tierische Zwischenglied eine grosse Rolle. Denn: Es gibt Amöben Arten, die das *Azot. chroococcum* sehr gern fressen, und man findet solche Arten in allen Erdproben, in denen das genannte Bakterium vorkommt. *Az. agile* und *Az. Wienlandii* scheiden, im Gegensatz zu der obigen Art, aber lösliche N-Verbindungen aus.

Matouschek (Wien).

Dixon, H. N., Ceylonese Mosses collected by the Rev. C. H. Binstead in 1913. (Journ. Bot. IV. p. 257—267; 289—297. 1 pl. London 1915.)

The material was collected in February and March of 1913, chiefly at Nuwara, Ellia and Pedrutalagala, yielding about 200 species, among which are the following novelties: *Trematodon* (*Gymnotrematodon*) *brevisetus* Dixon, *Microcampylopus subnanus* C. M. var. *elatus* Dixon, *Dicranodontium sparsum* Dixon, *Fissidens* (*Bryoidium*) *aberrans* Broth. & Dixon, *Macromitrium* (*Eumacromitrium*) (*Leiotoma*) *assimile* Broth. & Dixon, *Bryum* (*Eubryum*) *Doliolidium*

Botanisches Centralblatt.

Referierendes Organ

der

Association Internationale des Botanistes

für das Gesamtgebiet der Botanik.

Herausgegeben unter der Leitung

des Präsidenten: des Vice-Präsidenten: des Secretärs:
Dr. D. H. Scott. **Prof. Dr. Wm. Trelease.** **Dr. J. P. Lotsy.**

und der Redactions-Commissions-Mitglieder:

Prof. Dr. Wm. Trelease, Dr. C. Bonaventura, A. D. Cotton,
Prof. Dr. C. Wehmer und Dr. C. H. Ostenfeld.

von zahlreichen Specialredacteurs in den verschiedenen Ländern.

Dr. J. P. Lotsy,
Chefredacteur.

Sechszunddreissigster Jahrgang. 1915.

Band 130.

Neue Litteratur.



Verlag von Gustav Fischer in Jena.

1915.

Autoren-Verzeichniss.

Band 130.

A.		Appel 67, 135, 165, 185	Balfour & Smith 106
		Appl 22, 103, 185	Ball 67, 168
Abbado	11	Arbaumont, d' 114	Balls 2, 175
Abbot	139	Arber 33, 116	Balls & Holton 78, 175
Abderhalden	46	Arendsen Hein 99	Balthis 120
Abrams, Le Roy	168	Arens 78	Baltzer 3
Abrams, Le Roy & Smi- ley	188	Arisz 100	Bamberger 15
Abromeit	113, 120	Armitage 25	Bancroft 3
Achalme	76	Armstrong 162, 168	Banker 38, 132, 133
Adamovic	17	Arnaud 18, 38, 71, 183	Bagnedano 106
A. D. C.	16, 112	Arnell 25	Barber 91
Adcock	78	Arnell & Jensen 187	Barbieri 14
Adler	174	Arthur 117, 132, 150	Barbour 37, 116
Agar	3	Arthur & Fromme 70, 87	Bargagli-Petrucchi 1
Agulhon	29, 100	Arvet-Touvet 139	Barker & Gimingham 9
Agulhon & Robert	130	Arzberger 135	Barker & Grove 9
Ahländer	176	Asahina 77	Barnes 72
Akemine	50	Ascherson & Gräbner 11	Barnola, de 81, 83
Akerman	187	Atkins 67	Barre & Aull 9
Albada, van	178	Atkins & Sherard 66	Barrus 135
Albert	30	Atkinson 164	Barss, 165, 166
Allard	39	Aubert 120	Barthel 167
Allen	146	Aulin 42	Bartholomew 103, 135
Allen & Jolivet	150	Aust 25, 80	Bartlett 42, 66, 73,
Alsberg & Black	174	A. W. H. 73	99, 120, 129, 139
Alten, von	20, 118	Ayers & Johnson 72	73, 97
Amato	46	Ayres 65	Bastian 3
Ambroz	23, 24, 138		Bastow 89, 249
Ames	103	B.	Bates 58
Amman	24	Babcock 34, 135, 142	Bateson 3
Anastasia	82	Baccarini 4	Bateson & Pellew 179
Andersen	134	Bächler 42	Battandier 92, 65, 120
Anderson	37, 83,	Bachmann 69, 119, 132	Baudys 22, 38, 39
103, 111, 132, 134, 152		Backer 25, 30, 94	Bauer 133
Anderson & Rankin	39	Baden 38	Baumberger 37
Andersson	33, 58, 68	Bail 23, 119, 183	Baumgärtel 20
Andrasovszky	42	Bailey 7, 78, 116,	Baur 3
Andrée	113, 114	165, 168	Baur u. a. 49
Andres	25	Bailey & Shepard 161	Bayer 22, 39, 103, 132,
Andrews 33, 41, 83, 139		Baker 11, 15, 38, 58,	135, 166
Andrews, Le Roy	120,	106, 139	Bazhanov 106
	187	Baker & Smith 174	B. D. J. 176
Andriewsky	23	Bakke 4, 39, 143	Beal 3, 139, 143
Antevs	5, 6	Balfour 92, 168	Bean 11, 25, 78, 106,
			168

IV

Beauchamp	86	Birckner	142	Brandt	12, 153, 177
Beauchamp & Sachs	86	Blaauw	162, 163	Brannon	33
Beauverd	11, 25	Black	33	Brauns & Clossen	125
Beauverie	81, 178	Blake	42, 73, 106, 121, 129, 130, 139, 169, 188	Breakwell	2
Beccari	11, 26	Blakeslee	130, 133	Brehmer	92
Bechstein	191	Blaringhem	185	Brehmer, von	188
Beck von Mannagetta	73	Blatter	59, 73, 169	Breidahl & Rothera	118
Beck von Mannagetta & Lerchenau	98, 161	Blodgett	139	Bremekamp	83, 97, 98
Becker	180	Bolmqvist	83	Brenchley	169
Beckmann	174, 191	Blunk	164	Brenner	164
Beers	16	Boas	21	Bresadola	21, 70, 117
Beger	37	Bodnar	88, 191	Bresadola & Sydow	38
Béguinot	3	Bodkhoust & de Vries	186	Bretschneider	56
Béguinot & Vaccari	11	Bois	92	Brezina	191
Belling	34, 66, 82, 129, 143	Bokorny	35, 174	Brick	65, 73
Belosersky		Boldingh	26	Briggs & Shantz	35, 179
Benincasa	30	Bolus & Glover	11	Brinkman	120, 187
Bennett	42, 73, 139, 168	Bonaparte	42	Brinkmann	70
Benson	101	Bonati	11, 12, 92	Briquet	42
Bentley	152	Bonazzi	119	Britten	16, 80, 92, 112, 144, 169
Benz, von	26	Bond	81, 99	Britton	41, 72, 169
Berg	77, 90	Bondarzew	103	Britton & Clinton	39
Bergen & Caldwell	1	Bonnet	139	Britton & Hollick	37
Berggren	187	Bonnier	92, 144	Brockhausen	73, 74
Bergius	116	Boodle	33, 98, 168	Brongniart	163
Bernard	88	Boot	107	Brooks	104, 135
Bernardini	30	Borcea	118	Brooks & De Meritt	135
Bernatsky	106, 112, 121	Bordás	51	Brooks & Sharples	71
Bernau	10	Börgesen	7	Brotherus	41, 55, 66, 130, 137
Berridge	106	Borggardt	90	Brown	66, 67, 87, 100, 112, 130, 131, 140, 143, 161, 164, 166, 169
Berry	6, 37, 68, 86, 101, 139, 182	Bornebusch	78	Brown & Kellogg	105
Berteau & Sauvage	188	Bornmüller	121, 169, 188	Browne	47, 97
Bertrand	68	Borovicov	98, 114	Brozek	130
Bertrand & Compton	14	Bos, Ritzema	22, 118, 185	Brues	155
Bertrand & Rosenblatt	14	Bose	83	Bruijning	94, 95
Bertrand & Sazerac	87	Bottomley	4, 138	Bryan	72, 166
Bertsch	26, 121	Bourquelot & Aubry	174	Bubak	7, 70, 164, 183
Beschke	77	Bourquelot, Aubry & Bridel	46, 142	Bubák & Kabát	117
Besse	59	Bourquelot & Fichtenholz	124	Bubák & Sydow	70
Besse & Jaccard	59	Bouvier	2, 116	Buchheim	70, 132
Besser	50	Bovie	67, 115, 186	Buchner & Skraup	18
Bessey	49, 51, 157, 162	Bower	1, 97, 106	Buck	175
Beuhne	2, 47, 78, 96, 126, 175, 191	Boyd	38, 164	Budai	121
Bews	188	Boyer	150	Buder	18, 90
Beijerinck	174, 186	Boysen-Jensen	77, 83	Buja	121
Bezdek	20, 133	Bragg	42	Bukovansky	179
Bezssonoff	7	Brailovsky-Lounke-		Buller	87, 102
Bicknell	41, 120	vitsch	167	Bulletin	81
Biers	183	Brainerd	139	Bunzel	35, 111
Bihari	121	Brand	188	Burd	112
Binder	29	Brandl & Schaertel	124	Bureau	68, 116

Büren, von	21, 117	Cerny	30	Coles Finch	169
Burgeff	3	Chadt	30	Coley & Weatherby	140
Burkhardt	104	Chamberlain	52, 128, 144	Colin	14, 115
Burlingame	65, 162, 188	Chapin	130, 179	Collier	59
Burlingham	133, 164	Chapman	6	Collins	34, 140, 183
Burmam	29	Charles & Jenkins	39	Collins & Blair	46
Burnham & Latham	12, 42	Charlton	192	Conard	117, 133
Burns	47, 162, 180	Chase	129, 140	Condit	192
Buromsky	21	Cheel	7	Conklin	34, 58, 72
Burrell	25	Cheesman	118	Conn	23
Burrell & Clarke	169	Cheetham	58	Conner	56
Burt	38	Cheltham	105	Conwentz	17, 49, 65
Busch	65	Chester	186	Conzatti	161
Büsgen	73, 140	Chevalier & Roechrich	3	Cook	52, 59, 92
Bush	59	Chibber	53	Copeland	58, 79, 84, 120
Busse	178	Chilcott, Cole & Burr	175	Coppet	62
Buttel-Reepen, v.	65	Chipp	107	Coquidé,	57
Buijsman	12	Chittenden	175, 191	Corbière	24
Byl, van der	2, 39, 118	Chivers	183	Cordeiro	24, 72
		Chodat	12, 96	Core	46
		Chouquet-Guillon	17	Correns	82
		Choux	12	Cortes	74
		Christ	59, 128	Costantin	99
Caballero	92	Christensen	42, 57	Costantin & Bois	175
Cabanès	107	Christiansen	25, 169	Costantin & Poisson	59
Cabbage	33, 42, 99	Christy	70	Costerus	113
Cabbage & Maiden	12	Chrysler	97	Costerus & Smith	113
Cameron	125	C. H. W.	12	Cottureau	58
Cammerloher	7, 86	Ciamician & Ravenna	163	Cotton	38, 86, 105
Campbell	42, 81, 91, 92, 133	Cieslar	47	Couch	43
Campbell & Williams	10	Claassen	139	Coulter	34, 99, 114, 176
Camus	92, 120	Clark	49, 174	Coupin	72, 90
Candolle, de	26	Clark & Smith	150	Coulter & Rigg	49
Cannon	35, 41, 43, 131, 181	Claudi Westh	30	Coupin	40, 55, 183
Cantacuzène	10	Clausen	135, 143	Coville	102
Cardot	24	Cleland	102	Cowan	59
Carl	18	Cleland & Cheel	70, 133	Cowles & Coulter	188
Carleton	43	Cleve-Euler	183	Craib	74
Caron-Eldingen, v.	143	Clinton	185	Crane	179
Carpentier	116, 132	Cobau	3	Crespi	98
Carrier	158	Cobb	188	Crevost	192
Carter	135	Coblentz	35	Criadle	51
Casares Gil	91	Cock	143	Crocker & Groves	67
Case	12	Cockayne	15, 140, 192	Crocker & Davis	35
Castellani	87	Cockerell	34, 43, 49, 65, 92, 121, 140	Crosse	53, 84
Castle	34, 179	Cohen	15, 64, 143, 175	Crossland	55
Cettolini	143	Cohen Stuart	175	Crumley	143
Cavers	67, 70, 102, 129, 164	Cohendy & Woilmann	90	Cuénod	140
Ceillier	70	Coker	55, 133	Cunningham	135
C. E. M.	1	Colditz	116	Curtis	1, 26
Cépède	87			Curtis & Colley	132
Cereceda	33			Curtius & Franzen	46, 163
				Cuthbert	129
				Czapek, 64, 84, 115, 163	

VI

D.		Diedicke	7, 117	Dvorak	138
Dachnowski	35, 43	Die Kultur der Gegen-	81	Dyer	107
Dafert	48, 112	wart		Dykes	26
Dafert & Kornauth	143	Diels	12, 59, 74, 140	Dyring	189
Dahl	83, 188	Diem	79		
Dahlberg	43	Dietel	21, 38		
Dahlgren	51, 65, 161	Dieterich	111	E.	
Dalbey	145	Dietzel	10	East	34, 52
Dalgas	47, 79, 95	Dingler	12, 177	Eastham	4, 9
Dallimore	12, 112, 175	Dittrich & Pax	22	Eberstaller	177
Damazio	25	Dixon	4, 35, 41, 47, 53, 72, 91, 168, 187	E. B. P.	16
Damm	4, 67, 100, 113, 115, 116, 161	Dixon & Atkins	84, 94	Eckerson	35
Dammer	92, 140	Dixon & Marshall	54	Eckley Lechmere	9, 20
Danek	17, 26, 129, 178, 188	Doby	14, 191	Eckstein	158
		Doby & Bodnár	56	Eder	125
Dangeard		Dodge	12, 38, 133	Edgerton	135
Danguy	92, 169, 188	Dodge	22, 166	Edgerton & Moreland	
Daniel	52, 146, 162, 179	Doléne	192		135
Dankenschweil, von	168	Dollfus	86	Edson	104, 150
Dannenber	116	Domin	26, 140, 143, 169, 189	Ehlers	54
Darbishire	24	Dominici & Ostrovsky		Ehrenberg	158
Dastur	118		10	Eisenheimer	10
Daumézou	57	Doi ath	111	Elenkin	7, 164
Davidson	107	Doncaster	3	Elliott	50, 102
Davie	11	Dop	121	Ellinger	69
Davie & Wilson	55	Doposcheg-Uhlár	187	Ellis	86, 102
Davis	34, 38, 115	Dörfler	43	Elmer	59, 155
Davis & Daish	84	Dorn	185	Engelbrecht	30
Day	97	Dörr	186	Engelhardt	37
Deam	140	Dorsey	99, 178	Engelhardt & Schott-	
Dean	88	Dose	50	ler	37
Deane	144	Douglas Journal	65	Engelke	150
Decker	46	Douin	24	Engler	107, 155
Degen, von	41, 43, 107, 121	Dow	140	Ericsson	31
		Dox	87	Erdmann	68
Degrazia	125	Drayton	104	Erikson	59, 189
Dekker	15	Druce	97, 169	Eriksson	22, 88, 152, 185
Delf	177	Drude	12	Ernest	148
Delft	69	Duchacek	167	Ernest & Zacek	18
Demelius	65	Dudley Memorial	Vo-	Eseltine	81
Dendy	52	lume	145	Essary	135
Denniston & Kremers	143	Dudtschenko	23, 40	Euler & Cramer	10
		Dufour	133	Euler & Lindner	183
Depape & Carpentier	68	Duggar	191	Evans	10, 41, 92, 105, 120, 169
Departement	79	Duggar & Davis	37	Everest	4, 94
Deprat	68	Duke	55	Ewart	15, 111, 118, 121
Derby	50	Dümmer	26	Ewart & Davies	107
Derick	96	Dunlap	47	Ewart & Morrison	59
Dettweiler	143	Dunn	107	Ewart & Rees	59
Detzel	33	Durand	133	Ewart & Sutton	189
Deuss	14, 47, 94	Durfee	187	Eyles	155
Dewey	47	Duruttis	125	Ezendam	95
Dewitz	100	Duthie	129		
Dicerity	179	Duvell	175		

VII

F.		Focke	155.	G.	
		Font-Quer	26, 94		
Faack	131	Fonzes-Diacon	88	Gable	99
Faber, von	84	Ford & Clark	7	Gad	126
Fairbridge	1	Forenbacher	49	Gadeceau	122
Fairchild	98, 158, 192	Forest	43, 47	Gagnepain	93, 122, 189
Fairman	133	Forsaith	145	Gagnepain & Courchet	
Falck	21, 150, 183	Forsén	15		169
Fallada	57, 62, 158	Förster	121	Gain & Jungelson	36
Fallis	69	Forti	112	Gainey	138
Farlow	37	Fose	112	Galippe	145
Farrington	219	Foster	138	Gamble	155
Farmer	17, 19	Fothergill	189	Gammie	74
Farquet	59	Fousek	138	Gard	55, 155
Farr	51, 101, 149	Fox	141, 143	Gardner	43, 159
Farrow	177	Fragoso	38	Garman	16
Farwell	43, 107, 121	Franceschelli	87	Garner, Allard & Foubert	36
Faure	20	Francis	179	Garren	159
Favre	43, 121	Frankforter	142	Garrett	38
Fawcett	104, 135	Franzen	125	Gassner	38, 84, 100, 166, 181
Fawcett & Rendle	74	Fraser	60, 133	Gates	3, 43, 52, 60, 74, 83, 93, 105, 115, 148, 155, 162, 179
F. C.	1, 9	Frazier	105, 154	Gautier	36, 148
Fechner	86, 183	Fred	138	Gáyer	114
Fedde	96	Frei & Krupski	153	Gehe	112
Fedtschenko	169	Freeman & Stakman	136	Geldart	176
Feilitzen, von	95, 126, 191	Freund	125, 126	Gentleman	169
Feilitzen, von & Nyström	62	Frey	111	Gentner	104
Félix	121	Friedemann & Magnus	72	Georgia	74
Fenner	121	Friedrichs	21	Gerbault	179
Fernald	59, 130, 140, 147, 155	Fries	11, 73, 155	Gerber	77
Fernald & St. John	59, 60, 140	Fries & Skottsberg	35	Gerber & Flourens	77
Fernald & Macbride	130	Frisch, von	98	Gerber & Guiol	77
Figdor	98	Fritel	68	Gertz	46, 51, 84, 145, 146, 147, 192
Fink	133, 135, 150, 160	Fritsch	3, 12, 17, 20, 93, 121	Getman	37
Fink & Richards	150	Fritsch & Salisbury	107	Gicklhorn	18, 115
Firtsch	49	Frödin	155, 189	Giddings	84, 145
Fischer	4, 21, 33, 38, 77, 113, 121, 158, 167, 181	Frohmeyer	50	Giddings & Neal	136
Fischer & Freudenberg	77	Fromm & Fluck	77	Gilbert	95, 147
Fischer & Sykes	131	Fromme	38, 115	Gile & Ageton	36
Fitting	84	Brothingham	107	Gile & Carrero	36
Fitzpatrick	150	Fruwirth	16, 26, 51, 52, 192	Gilg & Benedict	93
Flaxberger	15, 95, 192	Fryer & Bennet	107	Ginzberger	26, 80, 189
Flechtner	188	Frye & Rigg	155	Giraudias	122, 189
Fleet	15	Fuchs	74	Girola	159
Fleischer	24	Fucsko	98	Gizolmf	183
Fleischmann	12	Führer	93, 121	Gladwin	152
Fletcher	155, 60	Fuhrmann	119	Glatzel	145
Flora	17	Fuller	36, 131, 169	Gleason	155, 189
Floyd	140	Fullmer	134, 141	Glover	136
		Furneaux	1	Glowacki	10, 16
		Furrer & Longa	60	Gloyer	152
		Fyles	12, 152		

VIII

Glück	80	Groves	37	Hansen	129, 143, 159
Godfery	83	Grün	154	Hanslik	169
Goddard	1	Grundmann	192	Hara	70
Goebel	98, 146, 178	Guéguen	8	Harder	86, 186
Göhre	50	Guérin	50	Hariot	7
Goldschmidt	99	Guignard	65	Harlan	47
Goldschmidt-Geis	26	Guilelmi	107	Harmand	41
Gomba	33	Guillaumin	93, 189	Harms	93, 156
Goodspeed	83, 114, 147, 148	Guillemin	81	Harper	8, 13, 43, 47, 93, 151
Goodspeed & Clausen		Guilliermond	98, 178	Harris	3, 4, 19, 34, 91, 147, 148, 178, 192
Gore	114	Günthart	65	Harris & Gortner	82
Goris	125	Guppy	12	Harrison & Sadler	9, 118
Goris & Vischniac	191	Guse	126	Harshberger	43, 107
Gormley	60, 74	Güssow	71, 133	Harter	39, 118
Gortner & Blakeslee	70	Gusuleac	189	Harter & Field	152
Gortner & Harris	84	Guttenberg, von	17, 26, 54, 122, 126	Hartley	136
Gothan	6, 16, 68, 86, 116, 149	Guyot	60	Hartley & Brunner	102
Gothan & Jongmans	163	Gvozdenovic	71	Hartley & Merrill	104
Goulding & Roberts	125	Györfy	24, 34, 58, 91, 120, 122	Harvey	93, 131, 159, 177
Goverts	104	H.		Harvey & Rose	163
Grabert	54	H.	15	Haslinger	33
Grabner	95, 185	Haack	86	Hasse	10, 72, 88
Gräbner	93, 155	Haar, van der	15	Hasselbring	115, 126
Grafe	46, 177	Haberlandt	19, 34, 50, 62, 64, 80, 98, 126	Hasselbring & Hawkins	36
Grafe & Vouk	183	Hackel	74, 107, 189	Hassler	13
Graham	58	Hackel & Schinz	43	Hastings	102
Gran	150	Hagen	25, 41	Hatschek	176
Graves	47, 55, 133, 136	Hägglund	164	Hauch	79
Grebelsky	117, 150	Hagman	125	Hauman-Merck	88, 185
Green	17, 143	Halket	36	Hausmann	19
Greene	12, 60, 74, 141, 156	Hall	31, 43, 53, 74, 99, 102, 112, 169, 189	Häussler	125
Greenman	147	Hall, Brenchley & Underwood	4	Haveland	161
Greenman & Thompson	43	Hall & Yates	112	Hawkins	118
Greenwood	41, 72	Hall, van	192	Hayata	60, 93
Greger	150	Halle	189	Hayek, von	13, 48, 156
Gregory	83, 99, 136	Halle & Pribram	77	Haynes	72
Greig-Smith	105	Hallier	12, 156	Headden	41
Greisenegger	62, 95	Hallqvist	99, 126, 156	Heald	8, 71, 136
Grier	60, 163	Hamet	169	Heald & Studhalter	39, 102
Griffiths	66, 122, 164	Hamilton	13, 98	Heald & Walton	70
Griggs	122	Hamlin	131	Hébert	77
Grinnell e. a.	177	Hammarlund	56, 57	Hecke	21
Groenewege	71	Hammerschmid	91	Heckel	5, 26, 27, 179
Gróf	51	Hanausek	37, 125	Hedcock	136, 152
Groom	177		126, 143	Hedcock & Long	40, 136, 166
Grosbüsch	23	Hance	51	Hedlund	185
Grossenbacher	67, 88, 152	Handel-Mazetti, von	13, 43, 122	Hedrick	47, 156, 192
Grout	41	Handwörterbuch	65	Hedrick & Anthony	147
Grove	150	Hanisch	126	Hedrick & Gladwin	47
				Heering	49, 141, 189

IX

Hefka	18, 27, 189	Hilton	22	Hume, Champlin &	
Hegi	95	Himmelbauer	18, 27	Loomis	159
Heiduschka & Wallen-		Hitchcock	93, 156	Humphrey	18, 136,
reuter	125	Hitchcock & Chase	170		141
Heikertinger	145	Hoagland	86	Humphrey & Weaver	
Heilbronn	5	Hoar	33		107
Heinersdorff	149	Höck	170	Huntington	36
Heinrich	8	Hodgetts	72	Hustedt	117
Heinricher	35, 36, 114,	Hoeck	50	Hutchins	112
	118, 189	Hoffmann	136	Hutchinson	74, 82, 187
Heintze	81	Hofer	152	Hutting	72
Heinze	126, 159	Hoffer	54, 56	Hy	86
Heller	60	Hofmann	107		
Helms	79	Höhnel, von	21, 165	I.	
Helten, van	159	Holden	27, 149, 154	Ikeno	53
Helweg	179	Hole	63, 70, 79, 156	Illick	93
Helyar	56	Holle	181	Ingham	105
Hemsley	160	Hollick	149	Irmscher	105
Henneberg	151	Hollós	38, 40	Istvánffi, von	185
Henning	43, 55, 88	Holm	126, 127	Ito	70, 87
Henri	10	Holmboe	43	Iversen	67
Henry	55, 137, 156	Holmes	179		
Henslow	82, 162	Holmgren	146	J.	
Hepner	148	Holt	51		
Herbertz	49	Holtz	95	Jaap	56, 151, 152
Herbst	153	Holy	192	Jaarboek	31
Heribert-Nilsson	179	Honing	23, 63, 66, 83	Jaarverslag	159
Hérics-Tóth, von	Osz-	Hooker	84, 101	Jablonszky	122
tróvsky	192	Hope	127	Jack	34
Herrig	5	Hopkins	106	Jackson	13, 35, 60, 166
Hermann	117, 148	Hori	136	Jacobi	5, 101
Herter	38, 46	Hörich	182	Jacobj	119
Hertwig	115	Hormuzaki	122	Jacobson	4
Herzfeld	35, 93	Horne	9, 56, 162, 166,	Jacobsson-Stiasny	18,
Herzfeld & Klinger	119		184		66, 82
Herzog	10, 122	Horne a. o.	136	Jahrbuch	118, 144, 177
Heske	71, 129	Horwood	13, 74, 145	Jahresbericht	159
Hesler	166	Hosseus	107, 156	Jamieson	89
Hess	63, 129	Houard	22, 118, 152	Janensch	69
Hesse	18	House	43, 146, 151, 156,	Janka	63
Heuer	113		159	Janse	181
Heukels	179	Houtman	159	Janson	79
Heusser	51, 82	Howard a. o.	63	Janssonius	2
Hewitt	136	Howe	7, 10, 11, 41,	Javorka	108, 189
Hewlett	3		91, 119, 167, 187	Jeanpert	187
Hibino	90	Hrachovina	17	Jefferies	190
Hiern	13, 107	Hromádko	23, 147	Jeffrey	18, 35
Hieronymus	11, 25,	Hrozny	97	Jehle	40
	42, 91	Hruby	27, 74, 156	Jennings	4
High	104	H. T.	107	Jensen	63, 66, 79, 84,
Hilbert	86	Hubbard	156		146, 154, 159
Hildebrand	179	Huber	60	Jeppesen	44
Hiley	40	Hubert	151	Jepson	108, 190
Hill	41, 74, 93, 130,	Hudig & Meijer	95	Jesson	16
	141, 145, 192	Hue	24, 119	J. H. H.	13
Hiltner	136	Huges	159		

J. M. C.	48, 176	Kelley	31	Körösy	19
Johannessohn	8	Kelly	16	Kosanin	157
Johannson	44, 146	Kellogy	192	Koso-Poljansky	190
Johnson	34, 49, 51, 85, 67, 102, 147, 148, 152	Kempin	31	Koso-Poljansky & Preobragensky	13
Johnson & Hindman	47	Kenkel	148	Kossinsky	170
Johnston	60	Kenoyer	100, 147	Kossowicz	21
Johnston & Tryon	112	Kerbosch	77, 125	Kostal	146
Jones	19, 55, 89, 119, 131, 179	Kerkhoven	89	Kostytschew	15
Jones & Gilbert	118	Kern	147, 151	Kotte	183
Jong, de	31, 63, 95	Kershaw	60	Kovács	108
Jongmans	116, 163	Ketthoff	152	Kraemer	47, 157
Jongmans & Kukuk	101	Keuchenius	79	Kraepelin	98
Jonsson	74	Kerpely	208	Kranichfeld	51
Jordan	66	Kiessling	180	Kränzlin	44, 157, 190
Joshi	186	Killer	63	Kraschennikow	13, 108
Jossa	25, 42	Killian	102	Kratzmann	54, 67
Jost	5, 64	Kilmer	159	Kraus	2, 112, 122
Joyeux	89	Kimball & Cartes	144	Krause	13, 122, 127, 141, 159, 170
Juel	51, 82	Kinzel	181	Krebs	122
Jumelle & Perrier de la Bathie	60	Kippenberger	162	Kremers	144
Junge	153	Kita	21	Kreyer	10
Jungelson	83	Klebahn	114, 133	Krieger	119, 187
Juritz	63	Kleberger	175	Kristensen	77
K.		Klebs	84	Krizenecky	18
Kabat & Bubak	21	Klein	122, 144, 180	Kroll	178
Kaczmarck	141, 156	Kling	23	Krones	5
Kajanus	53, 127	Klöcker	87	Kronfeld	144
Kamerling	16, 31, 54, 81, 145	Kneucker	27, 74, 122	Krüger	66, 79
Kanngiesser	142	Knierp	64, 84, 103, 181	Krüger & Roemer	31
Kappert	4, 53	Knight	97, 148	Krüger & Wimmer	22, 31
Karczag & Breuer	167	Knowlton	116, 141	Kruis	97
Karczag & Moczar	167	Knuth	93	Kubelka	63
Karczag & Schiff	167	Kobert	127	Kueny	157
Karlsson	31	Kochanowski	190	Kufferath	24
Karoly	77	Kochs	15	Kuhlmann	27
Karsten	18	Köck	57, 79, 136	Kuhn	181
Kashyap	11, 58	Koegel	23, 74	Kullberg	8
Kaunhoeven	6	Koehne	156	Kunkel	117
Kavina	21, 27, 120, 151, 154, 170	Koenen	74, 80, 122	Künz	70
Kayser	70, 151	Koernicke	84	Kuraz	104
Keegan	61	Kofoid	177	Kurssanow	98
Keilhack	27, 69	Kohlbrugge	53	Kurtz	122
Keilne	177	Kohler	24	Küster	82, 118
Kelhofer	108	Koidzumi	13	Kutak	154
Keller	44, 60, 108, 141, 151	Koketsu	17, 33	Kutin	152
Kellerman	144, 180	Kolbe	84	Kuwada	82, 113, 146
Kellerman & Leonard	138	Kolkwitz	37, 80	Kuijper	17, 19, 84
		Kölle	81	Kylin	86, 102, 150
		König & Lacour	57	L.	
		König & Rump	18	Lace & Smith	60
		Koningsberger	84	Lacoste	145
		Koorders	157		
		Koorders & Valetton	27, 74, 93		
		Kopaczewski	77		
		Korinek	148		

XI

Lagerberg		79	Lindau & Sydow	117	Lumière & Chevrotier	0
Laibach		89	Linden, van der	95	Lumsden	35
Lakon	54,	184	Lindfors	146, 151	Lundegardh	51, 181
Lamb	170,	180	Lindman	27, 49, 128	Lundqvist	178
Lambert		132	Lindmann	190	Lundström	61, 160
Lämmermayer		93	Lindsey	101	Lunell 44, 61, 129, 141	
Lamont		60	Lindner	56	Luthmer	95
Land		97	Lingelsheim & Borza	27	Lutman & Johnson	104
Lang 51, 73, 178,		182	Link	181	Lutsenburg Maas, van	
Lange	49, 82, 83		Linnell	60	& van Iterson Jr.	158
Langenhan	142,	158	Linsbauer	19, 41, 102	Lüttgens	150
Langer		116		181, 185	Lutz	36, 128
Lantzsck		117	Lipman	84, 118, 192	Lynch	170
Lányi		44	Lipman & Burgess	24	Lynge	190
Larkum		54	Lipman & Fowler	90	Lyttkens	27
Larsson		160	Lipman & Gericke	115		
Larter		108	Lipman & Sharp	101	M.	
Latzel		122	Lippmann	15	Macbride	137
Laumonier-Férard		79	Lippmann, von	61	Macdougall	147
Laurent		182	Lipps	147	Machach	25
Lauterbach		13	Liskun & Krassawiz-	8	Mac Kay	16
Lavanchy		41	ky		Mackenzie	157
Lawrence	136,	152	Lister	103, 118	Macku	21, 151
Le Brun		60	Livingston	181	Macku & Kaspar	184
Lécaillon		71	Livingston & Brown	148	Maconn	175
Lecomte	93, 94,	190		106	Maertens	20
Leeffmans		89	Ljubitzkaja	108, 146	Magerstein	137
Lees		63	Ljungqvist	108, 142, 184	Magnus	132
Leeuwen, Docters van		101	Lloyd	8, 142, 133	Magnusson	157
Reijnvaan		166	Loach, De	7	Maiden	13, 81, 94,
Lefroy		181	Lobik	164		108, 157, 190
Lehenbauer		181	Löbit	145	Maiden & Cambage	13,
Lehmann	4, 36	132	Löbner	18, 49	Maillefer	157
Leinburg		148	Locy	63	Maire 13, 21, 70, 91, 103	
Leiningcr		89	Lodewyks	181	Makino	13, 44
Lendner		44	Loeb	84, 101	Malaquin & Moitié	186
Lengyel		77	Loeb & Wastenys	101	Malme	8, 154
Lenz		54	Loesener	13, 157, 120	Malmström	108
Leonhardt		106	Loeske	136, 148	Malte & Mc Macoun	100
Lesage		77	Long	16, 47, 133, 18, 49	Malzew	31, 108
Leskiewicz & March-		122	Longo	108	Manganaro	186
lewski		38	Loomis	72	Mangham	174
Léveillé 60, 83, 94,		180	Lorenz	4, 147	Mangin	7
Levine		108	Lotsy	114	Mann & Harlan	146
Lewis	87, 136,	159	Löwi	2	Manns	137
Lewton		81	Lowson	51, 84	Mansfield	44
Lhoták		23	Lubimenko	& Nov-	Markowski	14
Liebmänn		108	Lubimenko	36	Marloth	2
Liebreich		84	koff	7	Marloth & Drege	157
Liesche		18	Lucas	154	Marras	115
Lieske		70	Ludewig	122	Marsh	123, 190
Lignier		152	Ludwig	79	Marshall	108, 170
Lind		152	Lugt	16	Martin	87
Lind, Rostrup & Kölpin-		190	Luigi		Martinet	3
Ravn						
Lindau 7, 49, 65, 80, 190						

Martini & Desgardes	Dérivé- 184	Meyerhof	175	Muszynski	113
Martius	157	Meylan	88		
Martius, von, Eichler & Urban	94	Michell	52	N.	
Marty	149	Michotte	31		
Maschhaupt	85	Miehe	85, 177	Nabelek	170
Mason	108, 157	Miestinger	186	Nachtsheim	130
Massee 9, 70, 89,	166	Milburn	186	Näf	32
Matenaers	190	Miles	53	Nagai	154
Mathews	131, 157	Millard a. o.	61	Nagel	116
Matsson	157	Miller	144, 158, 159	Nährstoffmangel- Erscheinungen	95
Matsuda	14, 27	Miller (Mrs Hardolph)	87	Nalepa	137
Matthes & Rath	125	Wasteneys	142	Nakai 27, 44, 61, 109,	123, 170, 190
Matthews	51	Miller & Meader	14	Nalepa, Schwaighofer,	
Maublanc	87	Millspaugh	117	Tertsch & Burger-	
Mauns	186	Minden	14	stein	113
Maupas	70	Minkwitz	108	Nanoumoff	38, 88
Maximow	113	Mirande	158	Narita	7, 117
Maxon	61, 91, 155	Miyabe & Kudo	113	Nash	159
May	31	Miyake	21	Nathorst 6, 69, 101, 163	
Mayer Gmelin	31, 95	Miyoshi 17, 90,	186	Naturschutzsitzung	145
Mayor	89	Moesz	36, 161	Naumann 81, 150, 170,	
Mayr	52	Molér	31	183	
Maza, de la	44	Molisch	15, 54, 129, 159	Nawaschin	113
Maza, de la & Roig	108	Molliard	61, 123, 157	Neger 23, 63, 85, 101,	
Mazé 19, 54, 101,	186	Monnet	157	127, 148	
Mazza 7, 20, 102,	183	Moore	181	Nemec	19, 180
Mc Atee	112, 141	Moore & Ruggles	14	Nestler	131, 142
Mc Avoy	141	Moore, Spencer le M.	14, 87, 103,	Netolitzky 2, 32, 127	
Mc Clelland	112	Moreau	178, 181	Neuberg	191
Mc Cormick	41	Moreau & Fernand	91	Neuberg & Schwenk	191
Mc Intire	142	Morel & Totain	77	Neuberger	75
Mc Kay	144	Morgan	159	Neuman	170
Mc Kechnie	33	Morse	137	Neumann	134
Mc Lendon	130	Morse & Shapovalov	40	Neumayer	75
Mc Lean & Wilson	8	Morton	148, 170	Nevole	75
Mc Murran	137	Moshier	166	Newcombe	55, 85
Mc Nutt & Fuller	131	Moss	61	Nichols	109
Mc Donald	58	Moss & Le M. Moore	61	Nicholson	58
Medwedjew	190	Mottier	92	Nickles	32
Méheut	87	Mouttini	5	Nicolas	100, 113
Meinecke	112, 137	Moyes	170	Nicolle, Césari & Rá-	
Meisenheimer & Sem-		Mrazek	150	phael	90
per	21	Muenscher	61	Niederlein	98
Melchers	137	Muller	48, 159	Niemann	33, 65
Melhus	133	Müller	5, 25, 67, 72,	Nienburg	70
Melin	41, 187		79, 154	Nieuwenhuis—von Uex-	
Memminger	61	Müller & Molz	40	küll-Güldenband	50
Merino	27, 74	Munn	153	Nieuwland 33, 44, 61,	
Merl	190	Munoz del Castillo	181	130, 141, 147, 157,	
Merrill	44, 61, 108,	Murbeck	34, 146	170, 171	
123, 170, 182, 190		Murr 27, 120, 123, 170		Niklewski	63
Meteorologische Waar-		Murray	106	Nilsson 32, 114, 127, 147	
nemingen	79	Murrill 8, 38, 88, 117,		Nilsson-Ehle 18, 32, 54,	
Meyer	6, 53, 55, 191	133, 134, 151, 165		180	

XIII

Nitescu	127	Pampanini	61	Pickett	9, 11, 42, 54, 120
Nolden	8	Paneth	187	Pieper	115
Norlind	27, 61	Pannain	63, 191	Pierce	4, 104
Norton	109	Pantanelli	7, 19, 85	Piettre	90
Nossotovskiy	109	Pantu	73, 75	Pilger	14, 171
Nothmann-Zuckerkindl	148, 181	Paris	85	Pilger & Krause	14, 171
Not	44	Parish	109	Pinoy	185
Nusbaum	2	Parker	4	Piper	162, 171
		Parkin	3	Piper & Bort	162
		Pater	67	Piper, Evans, Mc Kee	
O:		Patterson & Charles	151	& Morse	175
		Patouillard	117, 184	Piper & Morse	175
Oberstein	57, 159	Pau	109	Pittauer	35
Ochoterena	86	Paulmann	2	Pittier	171
O'Donoghue	123	Pavillard	69	Plahn-Appiani	50, 53
O'Donohoe	107	Pax	14	Plantefol	184
Oestling	125	Pax & Hoffmann	149	Plant	82
Oetken	53	Pearl & Surface	85, 148	Plehn	23
O'Gara	88, 186	Pearsall	61	Podpera	123, 177
O'Keefe	106	Pearson	5, 48, 98, 109	Pohle	109
Okamura	11, 120	Pease	130, 171	Pole-Evans	14, 171, 184
Olaru	57, 90	Peck	134, 139, 165	Polonovski	158
Olive	55, 160	Pegg	44	Plonovski & Nitzberg	158
Oliver	109, 149, 161	Pierce	85	Pool & Mc Kay	104
Olivier	109, 187	Peklo	32, 148	Popenoe	130, 147
Olivieri	77	Pellegrin & Vuillet	109	Porcelli-Titone	119
Olsen	41	Pelourde	69, 149	Post, von	69, 123
Oppel	53	Pénau	154	Porsild	44
Oppenheimer	30	Penfold & Violle	90	Pougnat	67
Orr	58, 61	Pennington	151	Poulsen	145
Ortlepp	11, 161	Pereira Continho	27	Poulton	4, 162, 176
Orton	88, 134	Perisho & Visher	44	Power	142
Orton & Rand	40	Perkins	66, 75	Power & Salway	142
Osawa	113	Perrier	149	Prairie	14, 28, 61, 109, 171
Osborn	2, 14, 83, 109	Perry	100	Prát	7, 20
Ostenfeld	123, 171	Persson	106	Preissecker	186
Osterhout	5, 36, 67, 85, 109, 115, 148, 181, 182	Pescott	14	Pretz	171
Ostermeyer	27	Petch	71, 127, 178, 182, 184	Pribram & Pulay	187
Oswald & Boss	190	Peter	2	Price	7, 102
Otis	36	Peters	80	Priego	32
Ottolander	49	Petersen	44, 160	Pringsheim	19, 180, 182
Ottolander & Vervoo- ren	79	Pethybridge	9, 89, 102, 104	Pringsheim & Eissler	78
Overholts	134	Petit	158	Pritzel	28
		Petrak	14, 27, 56, 71	Probst	45
P.		Petri	184	Procházka	17
Paal, von	100	Petri & Cuboni	87	Prylewski	24
Pabisch	127	Petrie	15	Przibram	5, 131
Palm	3, 10, 52	Petrie & Chapman	125	Pugliese	5
Palmer	150	Petry	106	Pugsley	14, 109, 171, 190
Pammel	109, 171	Pevalek	27	Pujiula	97, 100
Pammel & Clark	44	Pfeffer	160		
Pammel & King	109	Phillips	109		
Pammer	127	Picard & Blanc	90		
		Pickering	32		

Q.		Reukauf	146	Rover	186
		Reuther	118	Rubber-Recueil	80
Quanjer &	Oortwijn	Reutter	115, 127	Rübel	75
Botjes	89	Reynier	123, 190	Rublic	190
Quer	45	Ricciardi	3	Rüdiger	46
		Richardson	32, 63, 160	Ruehle	154
R.		Richardson a. o.	30	Ruhland	161
		Richaud	89	Rumbold	104
Rabanus	87, 171	Richet	57, 182	Rümker, von	144
Rabes	113	Richter	6, 19, 125, 188	Rümker & Leidner	64
Rabinovitch	36	Ricken	8, 152	Rump	146
Radlberger	158	Riddell	63	Rushton	97, 186
Ramaley	190	Riddle	72	Rusnow, von	64
Ramaswami	75	Ridley	109, 110, 171	Russel	5
Ramlow	22	Riehm	8, 57	Russell	2, 95, 145, 178
Ramsay	144	Rietz	154	Rutgers	9, 166
Ramsbottom	8, 64, 89, 103, 112, 176, 184	Rigg	37	Rutgers & Dammer-	
Rant	89, 153, 186	Rikli	171	man	9
Rasmuson	147, 180	Rippel	97	Ruzicka	24
Rasmussen	125	Ripper	160	Rydberg	45, 75, 172
Raum	63	Riss	54	Rytel	85
Raunkiaer	34	Robeau	185	Rytz	113
Rawson	182	Roberts	45, 89, 137	S.	
Rayner	51	Robertson	28	Sabidussi	28
Rayss	91	Robinson	106	Saccardo	117
Rea	103	Robinson & Smith	158	Safford	110, 160
Read	109	Rock	75, 110	Sahni	98
Rebmann	80	Rode	146	Saillard	78
Rechinger	28, 49, 69, 102, 192	Rodway	81	Saint-Yves	45
Reddick	40, 57, 141	Roeback	176	Sajfert	149
Reed	125, 131, 137	Roemer	18	Sajo	144
Reed & Cooley	131	Rogers	45, 110, 171	Salisbury	98, 161
Reed & Crabill	153	Rogers & Gravatt	104	Salkowski	30
Reed & Grissom	152	Rohrer	34	Salmon	4, 172
Reed & Williams	57	Rolfs	160	Salmon & Wormald	71, 110
Rees	101	Röll	58, 73, 91, 154		
Régamey	9	Romell	160, 171		
Regel	14	Römer	130		
Rehder	80, 171, 176, 190	Rordorf	30	Salzmann	24
Rehm	71, 184	Roscasolano, de	90, 105	Samec	15
Reiche	45	Benedid	105	& Sampson	48
Reid	75, 86	Rose	149, 166	Samuelsson	110
Reinecke	75, 109	Rosen	171	Sanders	28
Reinitzer	5	Rosenbaum	137	Sapéhin	82
Reinke	109, 180	Rosendahl	36, 160	Sargent & Arber	98
Reiter	17	Rosenstock	120, 155	Sargent	160, 172
Reitmair	115	Ross	8	Sartory	22, 88, 184
Rendle	50, 80, 100, 190	Rossem, van	46	Sartory & Bertrand	184
Renner	85, 149	Rostrup	153	Sartory & Spillmann	57
Renwick	171	Roth	103, 113, 150, 187	Sassoer & Hawkins	153
Renwick & M'Kay	171	Rothe	175	Sauerbrei	33
Report	63, 65, 127	Rothrock	110	Saunders	16, 75, 100, 127, 147
Resvoll-Holmsen	75	Rouppert	149	Sauvageau	70, 87
		Rousselet	20	Sawada	87
		Roux	53, 66		

Sazyperow	32	Schulz	45, 55, 75, 110,	Sidenius	160
Scales	184		123, 124,	Siedentopf	97
Schadowsky	110	Schumann	184, 188	Siedler	127
Schaffner	45, 66, 114,	Schumann, Gürke & Vaupel	124	Sierp	56, 161
Schaffnit	89	Schürhoff	161	Sievers	36
Schalow	28, 123	Schuster	28	Sigmund	177
Schander	10, 104, 153	Schustler	172	Sigrianski	34
Schanz	101	Schustow	146	Sim	149
Schanze	145	Schwalbe	64	Simek	172
Scharfetter	123	Schwappach	96, 160	Simon	48, 65
Schellenberg	71, 184	Schweitzer	114	Simonini	72
Scherffel	37, 39	Scott	52, 55	Simpson	75, 83
Schiemann	100	Scott & Jeffrey	6, 75	Singer	129
Schiffner	25, 80, 102, 106, 120	Sears	40	Sinnott	35
Schikora	75	Seaver	56, 117, 134, 152	Sinnott & Bailey	53, 100
Schilberszky	34, 69	Sebor	30	Sirks	50, 66, 99, 118, 146, 180
Schilling	82	Seckt	124	Skårman	45
Schild	154	Seeger	17	Skene	58
Schiller	20, 117, 132	Sehrwald	116	Skottsberg	28, 45, 102, 110, 177
Schindler	75	Seidelin	45	Skrbensky	85
Schinz	42, 103, 123	Seifert	152	Small	146, 161
Schinz & Thellung	45, 123	Seissl	54	Smiley	110
		Selander	45, 172	Smirnow	101
Schjerning	78	Selby	137	Smith	15, 17, 28, 32, 54, 71, 75, 76, 87, 105, 119, 137, 138, 139, 144, 153, 158, 172
Schlatter	75	Selby & Manns	137	Smith & Boncquet	119
Schlechter	14, 28, 110, 172	Sellards	55, 96	Smith & Crampton	48
		Selmons, de	124	Smith & Ramsbottom	103
Schleiermacher	54	Semichon	186		
Schmeil	177	Semmler & Feldstein	78		
Schmid	51	Semmler & Jakobowicz	78		
Schmidt	16, 78, 113, 146, 182	Semmler & Jonas	78		
		Senft	145, 149	Smolák	23
Schnegg	88	Serkowski	24	Snell	64
Schneider	28, 82, 100, 110, 131, 149	Sernander	80	Snow	34, 50
		Servit	147, 180	Soesman	64
Schneidewind	64	Setchell	150, 183	Solereder	2, 76
Schoene	40	Setten, van	127	Sorauer	57, 89, 104
Schoevers	57	Seward	6, 110	Sörlin	172
Schönfeld	19	Shamel	180	Souèges	114, 178
Scholtz & Koch	30	Shapovalov	104, 153	Spargo	132, 164
Schönfeld	19	Sharp	34, 45	Spaulding	40, 134
Schönland	32	Shaw	2	Speare	134
Schorler	37	Shaw & Ajrekar	184	Spegazzini	36, 40, 45, 184
Schotte	80, 96	Shear, 118, 134, 137	2	Sperlich	85
Schoute	52	Shelford	2	Sperry & Rettger	90
Schouten	56	Sherbakoff	40, 167	Spiro	105
Schreiner & Skinner	131, 147	Sherff	110	Spisar	32
		Shimer	69	Splendore	99
Schroeder	54	Shirasawa	96	Spoehr	101
Schroevers	118	Shive	85, 149, 182	Sporer	113
Schrödinger	52	Shreve	19, 45, 85	Spornit	78
Schrötter	123	Shull	5, 148	Sprague	76
Schrötter	50	S. H. V.	80	Sprecher	48
Schuit	127	Sibinga Mulder	160		

Sprenger	23, 28, 96, 110, 172	Sudre	124	Tidestrom	76, 141
Stabinska	41	Sudworth	173	Tilley	90
Stadlmann	154	Sündermann	124	Timm	139
Stäger	45, 100, 110, 114	Sumstine	134	Tischler	52, 80, 114
Stahl	116	Surface & Barber	48	Tjebbes	96
Stakman	118	Surface & Pearl	160	Tobler	120
Standley	46, 76, 141, 172, 188	Sutherland	71, 103, 152	Toenniessen	24
Stapf	28, 172	Sutton	110	Tokugawa	37, 67
Stark	6, 69, 114	Swingle	76, 173	Tolaas	105
Steche	5	Sydow	22, 71	Tolle	177
Steenstrup	69	Sylvén	96	Tolsky	119
Steffen	110	Szabó	112	Tönniessen	90, 167
Steier	32			Torka	73
Steil	73, 106	T.		Townsend	162
Stein	82	Tadokoro	94	Traaen	9
Steinbrinck	66	Tafner	9	Trabut	176
Steiner	119	Tahara	34, 52, 66, 82, 178	Trapl	178
Stelfox	56	Takahashi	167	Traverso	5
Step	56	Takamine	52	Travis	58
Stephani	41, 187	Takeda	28, 76	Treboux	22
Stevens	89, 138, 153	Tammes	180	Trelease	76, 173
Stewart	87, 138, 148, 162, 167, 168	Taneusch	28	Trier	125
Stewart & Leonard	119	Tanret	15	Trillat & Fouassier	90
Stewart & Sirrine	153	Tansley	29, 176	Trnka	167, 174
Stift	153	Tartler	54	Trnka & Mysik	101, 174
Stiles	54	T. A. S.	110, 111	Trnka, Mysik & Sajfert	176
Stiles & Jørgensen	78	Taubenhaus	40, 138	Troeger & Müller	30
Stirton	58	Taubenhouse	89	Troili-Petersson	24
St. John	28, 76, 172, 173	Tavares	96	Tröndle	115, 182
Stockberger	144, 160	Taylor	46, 64, 76, 162	Trotter	29
Stoltzenberg	15	Tchermoyarow	99	Trottner	128
Stoneman	173	Tedin	64	Trumpke	145
Stomps	76	Teichel	50	Tsakalatos	62
Stone	105	Tédoresco & Popesco	81	Tschirch	19, 67, 115
Stone & Freeman	16	Tesch	29	Tschirch & Schklowsky	125
Stopes	6, 69	Tewes	66		125
Stören	90	Teyber	29	Tubeuf, von	10, 29, 186
Stout	173, 180	Thaxter	39	Tubeuf, von & zu Le-	ningen
Stover	134	Theissen	22		29
Stranak	23, 149	Theissen & Sydow	184	Tunmann	34, 39, 47,
Strasser	71, 103, 165	Thellung	124, 173		48, 125, 126, 128,
Straszewski, v.	188	Thériot	41		158, 174
Straus	53	Thierssen	71	Turkevicz	111
Strickler	124	Thiry	88	Turner	37, 111
Stuart	128, 180	Thiselton-Dyer	76	Turrill	76, 111
Stuckert	46	Thom	9, 165	Tymstra	64
Studer-Steinhäuslin	38	Thomann	165		
Studhalter & Heald	153	Thomas	86, 97, 116	U.	
Sturgis	160	Thomas & Davey	99	Ubisch	162
Sturtevant	52	Thompson	62, 161, 173	Uémura	24
Stutzer	96, 167	Thompson & Morgan	175	Uhler	55, 168
Styles & Jørgensen	163	Thomson	148	Uhrlaub	130
Suckling	33	Thöni & Allemann	167	Ulander	32
		Thornber	144	Ulbrich	173

XVII

Ule	29, 82, 161, 173	Wager	7	Wheldon	56, 58
Ulehla	20	Wagner	3, 24, 97, 114, 162, 179	Wheldon & Wilson	58, 72, 91, 105, 120
Ulmansky	142	Wakefield	89, 103	White	128
Ulpiani	32, 35	Walcott	6, 55, 91	W[hite]	35, 48
Ultée	94	Walensky	81	Whitford	69
Unger	126	Wallmo u. a.	64	Whiting	174
Urban	111	Walton	52	Whitten	182
Ursprung	67, 85, 115	Wangerin	111	Wibeck	96
Urumoff	46	Warming	46	Wiemeyer	76
		Warming & Graebner		Wiesner	5, 163
V.				Wiesner, von	114
Vahl	73	Warnstorf	25, 168, 188	Wiesner & Baar	17, 97
Valeton	29	Warren	142, 144	Wight	100, 111
Vandevelde	184	Wasicky	62	Wigman	46, 76, 128
Vehmeyer	40	Wasniewsky	132	Wiinstedt	168
Velenovsky	22	Waterman	22	Wilcox & Link	139
Velich	19, 187	Watson	73, 142	Wilcox, Link & Pool	111
Ven, van der	185	Watt	46, 173	Wilczek	117
Venkata Rau	173	Watt & Renwick	173	Wild	124
Verda	78	Watts	11, 168	Wildeman, de	16, 29
Verink	III, 173	Weatherby	173	Wilfarth u. a.	96
Verrill	39	Weaver	37	Wilhelm	164
Verschaffelt	54	Weber	19, 145	Will	165, 185
Verworn	101	Webster	165	Willaman & West	126
Vestal	46	Weese	22	Wille	71, 173
Vestergaard	66	Weevers	54	Williams	29, 129, 141, 168
Vetter	180	Wehmer	9, 22, 56, 71, 165	Willis	100, III, 124
Vicioso	46	Wehrli	69	Willmott	111
Vierhapper	29, III, 124	Weinberg	57	Wills	69
Viguier & Humbert	124	Weinwurm	96	Willstätter & Bolton	62
Vilhelm	183	Weinzierl, von	64, 128	Willstätter & Mallison	62
Vilikovsky	161	Weir	88, 105, 119, 129, 134, 138, 165, 167, 176	Willstätter & Martin	62
Vincens	185	Weis & Bornebusch	72	Willstätter & Mieg	62
Vincent	15	Weiss	99	Willstätter & Nolan	62
Vines	16	Welborn	176	Willstätter & Stoll	85, 101, 163, 182
Vinson	144	Welker & Marshall	142	Willstätter & Zechmeister	126
Vischer	178	Welsch	182	Willstätter & Zollinger	62
Visher	76	Welsford	99	Wilson	4, 9, 56, 162, 164, 182
Visser	81	Went	16, 52, 177	Wiltshire	185
Vogt	66, 67, 76	Werner	6	Windaus & Hermanns	78, 126
Voisenet	22, 91	Wernham	29, 46	Winge	20
Völker	114	Werth	20	Winge & Jensen	78
Vollmann	18, 114	West	55, 168	Winkler	129, 173
Völtz	115	West & Lechmere	99	Winter	182
Voss	89	West & Starkey	164	Winters	176
Votava	20	Wester	16, 128	Winterstein	19
Vouk	20, 83, 163	Westerdijk	167	Winton	33
Vries, de	4, 19, 66, 85, 176	Wettlauffer	154		
Vuillemin	52, 88, 161, 179, 192	Wettstein, von	164		
Vuillet	186	Wetzel	116		
		Weydahl	128		
W.		Whatmough	16		
Wacker	64	Wheldale	83		

XVIII

Wisselingh, van	52, 54	Wooton & Standley	173, 188	Zahlbruckner	6, 173
Witte	32			Zahn	76, 124
Wittmack	124	Worcester	48	Zaleski	85
Wladimirow	29	Wormald	72	Zaleski & Schataloff	88
Woebel	128	Woronichin	9, 10	Zboril	180
Woeltje	9	Worsdell	2, 52	Zanfognini	187
Wolf	64, 138	Worsley	29	Zederbauer	53, 124
Wolfe	180	Wosolsobe & Zellner	126	Zehntner	48
Wolfert	76	Woynar	25, 168	Zelenka & Kobza	19
Wolff	24, 86	Wycoff	48, 176	Zdobnický	163
Wolff & Rouchelmann	101, 182			Zeller	39, 165
		Y.		Zettnow	71, 72
Wolk, van der	4, 23, 39	Yasuda	91, 173	Zickgraf	2
Wolzogen Kühr Jr., von	91	Yendo	164	Ziegenspeck	47
Woodburn	162	Young	165	Zikes	10, 105
Woodcock	68	Youngblood & Conner	176	Zimmermann	20, 70,
Woodhouse Basu & Taylor	128			Zinn	115
Woodward	111, 141	Z.		Zschacke	24
Wooton	141	Zade	53, 57, 182	Zwicky	32
				Zijlstra	64

CORRIGENDUM.

P. 78 statt : Priegsheim, lese : Pringsheim.

ceylonense Broth. & Dixon, *Philonotis nitida* Mitt. var. *rigidior* Dixon, *Camptochaete*(?) *thamnioides* Broth. & Dixon, *Acanthocladium ceylonense* Broth. & Dixon, *Taxithelium* (*Polystigma aptera*) *Binsteadii* Broth. & Dixon, *T.* (*Anastigma*) *isopterygioides* Dixon, *Vesicularia caloblasta* Broth. & Dixon. A. Gepp.

Hodgetts, W. J., Vegetative Production of Flattened Protonema in *Tetraphis pellucida*. (The New Phytologist. XIV. p. 43—49. London 1915.)

Flattened protonemata occur in *Sphagnum*, *Andreaea*, *Tetraphis*, *Tetradontium*, *Buxbaumia*, *Diphyscium*. But none of these mosses (except *Sphagnum*) have been recorded as producing a protonema vegetatively, as many other mosses do. The author has however in the case of *Tetraphis* growing under natural conditions observed the vegetative production of large flattened protonemata on the gametophyte. They were found in the leaf-axils of stems which, being decapitated, could not produce the normal terminal group of gemmae. Similar thalloid protonemata are normally developed from the germinating gemmae and spores of *Tetraphis*. A. Gepp.

Lett, H. W., Census Report on the Mosses of Ireland. (Proc. Roy. Irish Ac. XXXII. section B. 7. p. 65—166. Dublin, September 1915.)

The author gives a list of all the Irish mosses, recording under each the provinces in which it has been found, adding the actual locality, date, collector's name, and a reference to the publication or herbarium upon which the record is based. The provinces adopted are those defined by R. L. Praeger. The Census is preceded by a report on the progress of bryology in Ireland, in which short biographical notices of the collectors of, and writers on, Irish mosses are given. A bibliography is supplied, and a list of the 118 species and varieties added to the flora since the publication of David Moore's Synopsis (1872). A. Gepp.

O'Keeffe, L., Structure and Development of *Targionia hypophylla*. (The New Phytologist. XIV. p. 105—116. 2 figs. London 1915.)

1. The thallus of *Targionia hypophylla* grows by means of a single apical cell, from which segments are cut dorsally, ventrally, and on either side. The air-chambers arise by splitting between the epidermal cells, the split extending from the surface inwards through the entire depth of the epidermis; the crack then partly closes owing to the turgor of the bounding cells; the young chamber then extends during the general growth of the thallus tissue, but still remains closed until the concentric cell-rings are produced by division around the pore, whereupon the pore opens and gradually increases in area until the general growth of the thallus ceases. The membrane-like rim of the pore is the innermost ring of the guard-cells, the cavity of these cells being almost obliterated by thickening of the walls. 2. The antheridial receptacle may arise on special short disc-like branches of limited growth, or on ordinary thallus branches. The centrifugal arrangement of the antheridia, and the scattered distribution of the ventral scales on the disc-like receptacle, indicate that the latter represent a condensed branch

system, in which dichotomy occurs rapidly, and the several growing-points formed are of short-lived activity. 3. The bivalved involucre develops simultaneously with the archegonial group, and represents the peripheral region of the archegonial surface, but its further growth, the formation of interlocking processes on its margin, and its closure until the extrusion of the capsule, are dependent on the occurrence of fertilization in one or more of the archegonia. 4. The young sporogonium does not show the octant stage usually regarded as characteristic of *Marchantiales*, but approaches the "*Jungermannia* type", a row of cells being formed by successive transverse divisions before the first longitudinal divisions occur. The spore mother cells and the elaters occur in approximately equal numbers, and are irregularly mingled, but there is invariably a layer of elater-forming cells immediately within the single-layered capsule wall, and these cells may either remain attached by their entire length to the inside of the capsule wall, or by one end only; in the former case making the wall two-layered in places, in the latter case forming fixed elaters.

A. Gepp.

Stirton, J., Additional Mosses from Duncraig, West Ross-shire. (Trans. Proc. Bot. Soc. Edinburgh. Vol. XXVI. Part IV. p. 423—429. 1915.)

The author discusses five species of *Leptodontium* found in West Ross-shire. *L. flexifolium*, *L. recurvifolium* and *L. gemmascens* have been known for some years; but he is of opinion that the last named species should be excluded from the group. *L. terrenum* was described by him in 1900; and now he adds a fifth species, new to science, *L. Rossii*. He also describes *Campylopus oblectus* n. sp., *Limneria* (gen. nov.) *viridula* n. sp., *Bryum intortulum*. *Limneria* approaches in some respects *Racomitrium* and *Campylostelium*.

A. Gepp.

Watson, W., A Somerset Heath and its bryophytic Zonation. (The New Phytologist. XIV. p. 80—93. 7 figs. London, 1915.)

The author gives an account of a wet heath association on Chard Common, in which the dominant vascular plants are *Molinia caerulea*, *Erica tetralix* and *Myrica gale*. He provides plans and diagrams of the zones. Tracing the zonation of the vegetation from the wetter up to the drier zones, he finds subdivision to be necessary to denote the occurrence of the bryophytes; and he can distinguish seven zones, six of which are characterised by the presence of a particular species. 1. Zone of *Potamogeton polygonifolius*. 2. Three sub-zones: A. *Aneura pinguis* and *Pellia epiphylla*; B. *Hypnum scorpioides*; C. *Sphagnum cymbifolium*. 3. *Aneura multifida*. 4. Two sub zones: A. *Sphagnum subnitens*; B. *Hypnum intermedium*. 5. *Hypnum cuspidatum*. 6. *Brachythecium purum*. 7. *Hypnum cupressiforme* var. *ericetorum*. The respective associates found in these successive zones are detailed; and the formation and probable history of the Heath is discussed.

A. Gepp.

Anonymous, Decades Kewenses. (Kew Bull. Misc. Inform. N^o. 7. p. 344—350. 1915.)

Polygala palustris, Lace (Burma), *Triumfetta benguetensis*, Sprague ('Philippine Islands'), *Acronychia Barberi*, Gamble (S. India), *Aglaiia*

Barberi, Gamble (India), *Agl. Bourdillonii*, Gamble (India), *Agl. canarensis*, Gamble (India), *Ribes maximowiczii* Batalin var. *floribundum*, Jesson (W. China), *Stenocarpa*, Blake gen. nov., *S. filipes*, Blake, comb. nov. (Mexico), *Diospyros glandulosa*, Lace (Burma).
Arundinaria vagans, Gamble. E. M. Jesson.

Anonymus. Diagnoses Africanæ. LXIV. (Kew Bull. Musc. Inform. N° 8. p. 386—389. 1915.)

Latin descriptions are given for the following plants, previously described in English in Dyer's *Flora Capensis*, Vol. V. sect. 2. 1915. p. 9—33. *Passerina Galpini*, Wright, *P. laniflora*, Wright, *P. rubra*, Wright, *Cryptadenia laxa*, Wright, *Struthiola epacridioides*, Wright, *S. Macowani*, Wright, *S. pondoensis*, Gilg et C. H. Wright, *S. congesta*, Wright, *S. cicatricosa*, Wright, *S. longifolia*, Wright.
 E. M. Jesson.

Blake, S. F., A new *Vaccinium* from Costa Rica. (Journ. Bot. LIII. 633. p. 271. Sept. 1915.)

The new species is *V. dissimile* (§ *Disterigma*); a plant which was distributed as *V. pachyphyllum* Hemsl.
 E. M. Jesson.

Blake, S. F., A revision of *Salmea* and some allied genera (Conclusion). (Journ. Bot. LIII. 632. p. 225—235. Aug. 1915.)

Under the new section: *Loxosiphon* the new combination *Notoptera curviflora* (R. Br.) and *N. brevipes* (Rob.) occur, also the new species *N. scabridula*. Similarly under the new section *Perigyne*, *N. tequilana* (Gray) comb. nov., *N. tequilana*, var. *genuina* var. nov. and var. *acuminata* (Wats.) comb. nov. *epalacea*, (Hemsl.) comb. nov. are to be found. The new species are: *Otopappus trinervis*, *O. microcephalus*, *O. Pringlei*, *O. glabratus* (Coult.).
 E. M. Jesson.

Blake, S. F., Two new *Hymenostephiums*. (Journ. Bot. LIII. 633. p. 268. Sept. 1915.)

The new species *H. pilosulum* is described from Oaxaca and Costa Rica and the new combination *H. cordatum* (= *Wedelia cordata*, Hook. et Arn., *W. subflexuosa*, Hook. et Arn., *Gymnolomia subflexuosa* (Hook. et Arn., B. et H. fil. ex. Hemsl.) is made.
 E. M. Jesson.

Britton, N. L., Studies of West Indian Plants. VI. (Bull. Torr. Bot. Cl. XLII. p. 365—392. July 29. 1915.)

An analysis of the 23 Cuban species of *Coccolobis* etc., and containing as new:

Coccolobis woodfredensis, *C. Cowellii*, *C. colomensis*, *C. Shaferi*, *C. benitensis*, *C. brevipes*, *Tabebnia Brooksiana*, *T. Shaferi*, *T. pachyphylla*, *T. trinitensis*, *T. calcicola*, *T. moaensis*, *T. pinetorum*, *T. arimaoensis*, *T. arenicola*, *T. geronensis*, *T. Curtissii*, *T. crassifolia*, *T. angustata*, *T. jamaicensis*, *T. actinophylla* (*Tecoma actinophylla* Griseb.), *T. Sarvallei* (*Tec. sanguinea* Wright), *T. Buchii* (*Tec. Buchii* Urb.), *T. lepidota* (*Tec. lepidota* DC.), *T. Berterii* (*Tec. Berterii* DC.), *T. domingensis* (*Tec. domingensis* Urb.), *T. revoluta* (*Tec. revo-*

luta Urb.), *T. acrophylla* (Tec. *acrophylla* Urb.), *T. myrtifolia* (Tec. *myrtifolia* Griseb.), *T. platyantha* (Tec. *platyantha* Griseb.), *T. bahamensis* (Tec. *bahamensis* North.), *Anaethaphia montana*, A. Cowellii, *A. attenuata*, *A. crassifolia*, *A. calcicola*, *A. parvifolia*, *A. Wilsoni*, *A. Shaferi*, *A. obtusifolia*, *A. Rosei*, *A. recurva*, *A. Comensis*, *Cyperus calcicola*, *Psilocarya portoricensis*, *Rhynchospora boricuensis*, *Cassia Clarendonensis*, *Purdiaea velutina* Britt. & Wils., *P. Shaferi* Britt. & Wils., *P. microphylla* Britt. & Wils., *Piriqueta cubensis* Britt. & Wils., *Rheedia Hessii*, *Mayepea cubensis* Wils., *Agalinis albida* Britt. & Pennell and *Jacaranda Cowellii* Britt. & Wils. Trelease.

Brown, N. E., *Sansevieria*. (Kew Bull. Misc. Inform. N^o 5. p. 185—261. 1915.)

In this monograph of the genus *Sansevieria* the following new species and varieties are described by the author: *S. Powellii*, *S. caulescens*, *S. suffruticosa*, *S. Phillipsiae*, *S. gracilis*, *S. rorida*, *S. robusta*, *S. deserti*, *S. varians*, *S. patens*, *S. sordida*, *S. cylindrica*, Bojer var. *patula*, *S. burmanica*, *S. Dooneri*, *S. parva*, *S. concinna*, *S. subtilis*, *S. nilotica*, Baker var. *obscura* and var. *Laurentii*, *S. metallica*, Gér. & Labr. var. *longituba* and var. *nyasica*, *S. Raffillii*, *S. Raffillii* var. *glauca*, *S. Kirkii*. E. M. Jesson.

Dyer-Thisleton, W. T., *Flora Capensis*. Vol. V Sect. ii. Part II. (p. 191. 1915.)

This part contains the conclusion of *Santalaceae* by A. W. Hill, the *Balanophoraceae* by C. H. Wright and the *Euphorbiaceae* by N. E. Brown, T. Hutchinson and D. Prain. Among the *Euphorbiaceae* the new species are as follows. The *Euphorbias* being described by N. E. Brown; *Elaeophorbia acuta*, N. E. Brown; *Euphorbia multifida*, *E. graveolens*, *E. albanica*, *E. ruscifolia*, *E. foliosa*, *E. artifolia*, *E. muraltioides*, *E. frutescens*, *E. spinea*, *E. chersina*, *E. indecora*, *E. cibdela*, *E. amarifontana*, *E. Rudolfii*, *E. perpera*, *E. corymbosa*, *E. Angraee*, *E. rectirama*, *E. arrecta*, *E. catterviflora*, *E. Mundii*, *E. macella*, *E. hastisquama*, *E. gentilis*, *E. karroensis*, *E. Davyi*, *E. ramiglans*, *E. Ernesti*, *E. truncata*, *E. gabbergensis*, *E. passa*, *E. Flanaganii*, *E. Franksiae*, *E. Woodii*, *E. discreta*, *E. Huttonae*, *E. brevirama*, *E. arida*, *E. decepta*, *E. rudis*, *E. inelegans*, *E. albertensis*, *E. brakdamensis*, *E. namaquensis*, *E. Braunsii*, *E. baliola*, *E. Bergeri*, *E. Marlothiana*, *E. Muirii*, *E. tuberculatoides*, *E. Bolusii*, *E. Macowani*, *E. tugelensis*, *E. pubiglans*, *E. restituta*, *E. atrispina*, *E. alternicolor*, *E. captiosa*, *E. atrispina*, *E. valida*, *E. infausta*, *E. pyriformis*, *E. clavigera*, *E. enormis*, *Cleistanthus Schlechteri*, Hutchinson. E. M. Jesson.

Haumann-Merck, L., *Étude phytogéographique de la région du Rio Negro inférieur*. (An. Mus. Nat. Hist. Natur. Buenos Aires. XXIV. p. 289—443. 19 Textfig. 1913.)

Zuerst werden die allgemeinen geographischen Charakterzüge des Gebietes erörtert. Die Coenobiosen alle aufzuzählen geht hier nicht an; 20 Pflanzenhabitus- und typische Landschaftsbilder in Photographie beleben hier sehr das Mitgeteilte.

Man kann für die südargentinisch-patagonische Florenregion

so recht studieren: *Gourliea decorticans*, *Larrea divaricata*, *Chuquiragua erinacea* als Charaktertypen der „Strauchsteppe“; *Adesmia canescens* auf den Küstendünen und anderseits die *Suaeda divaricata* (Jume) und die *Atriplex*-Arten (matorros) als die wichtigsten Vertreter der „Salitrales“-Gemeinschaft. — Die wichtigsten faziesbestimmenden Familien sind: *Compositae* (92 Arten in 49 Genera) und die *Gramineae* (72 Species in 32 Genera). Es reihen sich an: die *Leguminosae*, *Chenopodiaceae*, *Crucifere*, *Umbellifere*, *Cyperaceae*, *Verbenaceae*, *Solanaceae*, *Caryophyllaceae*, *Malvaceae*, *Cactaceae* (letztere in 5 Gattungen mit 10 Arten). Es existiert ein deutlicher Konkurrenzkampf zwischen den krautartigen, besengestalteten *Compositen* und *Verbenen*, steppenliebenden Gräsern, *Chenopodien*, *Akazien*-Verwandten, je nachdem man die Espinalregion oder die eigentliche Pampasregion betrachtet. Das Werk enthält eine Menge Details; die Figuren sind insgesamt gelungen.

Matouschek (Wien).

Hole, R. S., A new species of Forest Grass. (Indian Forest Records. V. 6. p. 1—6. 1915.)

Spodiopogon Lacei, Hole is described from Burma. It is allied to *S. sagittifolius*, Rendle, but differs considerably in the more robust habit, the racemes consisting each of 3—9 spikelets, spatulate pedicels and glume II of sessile spikelet with 3—5 nerves only.

E. M. Jesson.

Hutchinson, T., New Tropical African species of *Ficus*. (Kew Bull. Misc. Inform. No. 7. p. 313—344. 1915.)

The following are the species described: *F. golungensis*, *F. acutifolia*, *F. katagumica*, *F. kawuri*, *F. ingentoides*, *F. Buntingii*, *F. ugandensis*, *F. Gossweileri*, *F. rudens*, *F. maculosa*, *F. fasciculiflora*, *F. praticola*, *F. stipulifera*, *F. camptoneuroides*, *F. nyanzensis*, *F. namalalensis*, *F. ebelowensis*, *F. Rederi*, *F. mutantifolia*, *F. anomani*, *F. Dawli*, *F. clarencensis*, *F. kitubalu*, *F. mallotoides*, *F. Wakefieldii*, *F. glumosoides*, *F. asymmetrica*, *F. annobonensis*, *F. leonensis*, *F. aganophila*, *F. arcuato-nervata*, *F. brachypoda*, *F. Ledermannii*, *F. budduensis*, *F. zambesiaca*, *F. tettensis*, *F. pseudo-mangifera*, *F. mangiferoides*, *F. Kirkii*, *F. mildbraedii*, *F. Burretiana*.

E. M. Jesson.

Lecomte, H., Deux *Elaeagnus* nouveaux de l'Indo-Chine. (Notulae Systematicae. III. p. 123—126. Avril 1915.)

Enumération des *Elaeagnus* indochinois, parmi lesquels deux espèces nouvelles: *E. laosensis* H. Lec., du Laos et *E. Bonii* H. Lec., du Toukin.

J. Offner.

Lecomte, H., *Elaeagnacées* de Chine et d'Indo-Chine. (Bull. Mus. Hist. Nat. XXI. Paris, 1915.)

Enumération des *Elaeagnus* chinois et indochinois de l'Herbier du Muséum de Paris, parmi lesquels se trouvent plusieurs variétés nouvelles. Tandis que le genre est abondamment représenté en Chine, il est confiné en Indochine dans les régions montagneuses élevées.

J. Offner.

Lecomte, H., *Heritiera annamensis*, sp. nov. (Notulae Systematicae. III. p. 3—6. 1 fig. Mai 1914.)

Heritiera annamensis H. Lec. se rapproche surtout d'*H. angustata* Pierre, et les fleurs mâles sont assez semblables dans les deux plantes; mais tandis que la première espèce présente dans la même inflorescence des fleurs de l'un et de l'autre sexe, celles-ci se trouvaient vraisemblablement séparées dans l'espèce de Pierre, dont les fleurs femelles sont inconnues.

J. Offner.

Lecomte, H., Un nouveau *Trichoscypha* du Congo français. (Notulae Systematicae. III. p. 6—9. 1 fig. Mai 1914.)

Notes sur plusieurs *Trichoscypha* récoltés au Congo par Le Testu, parmi lesquels l'espèce nouvelle *T. Le Testui* H. Lec.

J. Offner.

† **Legré, L.**, Herbarisations dans les Basses-Alpes [annotées par L.-A. Dessalle]. Avec une préface de l'abbé A. Richaud. (Bull. trim. Soc. Scient. et Litt. des Basses-Alpes. XVI. p. 1—16, 103—113, 188—196, 263—268, 322—332, 357—386. Digue, 1914—1914.)

Cette publication posthume du botaniste de Marseille, mort en 1904, renferme les listes des plantes qu'il a récoltées au cours de ses nombreuses herborisations dans les Basses-Alpes, de 1886 à 1895. Les environs de Pierrerue et la montagne de Lure, dont la flore avait été encore peu étudiée, ont été spécialement explorés par l'auteur. Cependant Dessalle, qui a eu le soin de revoir et de publier les notes de Legré, montre qu'avant lui, Darluc, Elisée Reverchon et surtout le docteur S.-J. Honnorat avaient parcouru la montagne de Lure, mais que Legré ignorait leurs recherches, d'ailleurs restées en partie inédites.

J. Offner.

Léveillé, H., Flora missionnaria asiatica. (Bull. Géogr. Bot. [XXV]. p. 13—26, 37—50. 1915.)

Toutes ces espèces nouvelles proviennent, sauf indication différente, du Yun-Nan: *Silene Mairei* Lév., *Triplostegia epilobiifolia* Lév., *Anaphalis Mairei* Lév., *Eupatorium Mairei* Lév., *Aster Costei* Lév., *A. Bodinieri* Lév., *A. Argyi* Lév., du Kiang-Sou, *Picris Mairei* Lév., *P. Blinii* Lév., *P. Bodinieri* Lév., *Petasites Mairei* Lév., *P. Vanioti* Lév., *Sonchus Mairei* Lév. (non *S. Mairei* Lév. in Fedde Repert. = *S. oleraceus* L.), *Senecio* (*Canalia*) *Moisoni* Lév., *S. Franchetianus* Lév., *S. (Ligularia) tongichouanensis* Lév., *S. (Lig.) Monbeigii* Lév., *S. (Lig.) trichopoda* Lév., *S. (Lig.) iochanensis* Lév., *S. Leclerii* Lév., *S. delphiniphyllus* Lév., *S. Lebrunei* Lév., *Saussurea Merinoi* Lév., *S. Leveilleana* Maire, *S. Vanioti* Lév., *S. Bodinieri* Lév., *Rhododendron crenatum* Lév., *R. tapilouense* Lév., *R. missionnarium* Lév., *R. Blinii* Lév., *Pieris Mairei* Lév., *Vaccinium Mairei* Lév., *Gentiana phyllopoda* Lév., *G. Mairei* Lév., *G. Bodinieri* Lév., *G. Blinii* Lév., *G. Reynieri* Lév., *Pleurogyne Vanioti* Lév., *Swertia Mairei* Lév., *S. albo-violacea* Lév., *Phyllanthus Mairei* Lév., *Ph. Franchetiana* Lév., *Hypericum centiflorum* Lév., *H. Mairei* Lév., *Boea rubicunda* Lév., *Oreocharis micrantha* Lév., *O. squamigera* Lév., *Petrocosmea Mairei* Lév., *Elsholtzia Mairei* Lév., *E. lampradena* Lév., *Ophiopogon*

filiformis Lév., *Peliosanthes Mairei* Lév., *Microrhamnus Mairei* Lév., *M. Franchetiana* Lév., *Aletris Mairei* Lév., *Lilium cupreum* Lév., *L. sempervivoideum* Lév., *Lloydia Mairei* Lév., *Polygonatum minutiflorum* Lév., *Smilax loupouensis* Lév., *S. Mairei* Lév., *S. castaneiflora* Lév., *Streptopus Mairei* Lév., *Veratrum Mairei* Lév., *Dianella Mairei* Lév., *Myrica Mairei* Lév., *Androsace Mairei* Lév., *Lysimachia Mairei* Lév., *Oreocharis Bodinieri* Lév., *Chelidonium Cavaleriei* Lév., du Kouy-Tchéou, *Scopolia Mairei* Lév., *Wikstroemia Hemsleyana* Lév., *Ligustrum Phillyrea* Lév., *Daphne Mairei* Lév., *D. Bodinieri* Lév., *D. Cavalerici* Lév., *D. Esquirolii* Lév., *D. salicina* Lév., *Anemone Geum* Lév., *A. bicolor* Lév., *Paeonia Mairei* Lév., *Cimicifuga Mairei* Lév., *Trollius saniculaefolius* Lév., *Saxifraga Blinii* Lév., *Spiraea Mairei* Lév., *S. microphylla* Lév., *S. atemnophylla* Lév., *S. holorhodantha* Lév., *Potentilla dolichopogon* Lév., *Cotoneaster Bodinieri* Lév., *C. Mairei* Lév., *Prunus odontocalyx* Lév., *P. myntacea* Lév., *P. Mairei* Lév., *P. (Padus) Vanioti* Lév., *Pirus (Cydonia) rufifolia* Lév., *Geum ranunculoides* Lév., *Rosa Lebrunei* Lév., *R. Blinii* Lév., *Mussaenda Mairei* Lév., *Ophiorrhiza violaceo-flammea* Lév., *Leptodermis motouensis* Lév., *L. tongtchouanensis* Lév., *L. Chaneti* Lév., du Tché-Li, *Galium quinquatum* Lév., *G. Blinii* Lév., *G. Esquirolii* Lév., *Lespedeza Pampaninii* Lév., *L. Blinii* Lév., *Sophora Mairei* Lév., *Crotalaria Mairei* Lév., *Caragana Komarovi* Lév., *Astragalus Mairei* Lév., *A. Bodinieri* Lév., *A. Esquirolii* Lév., *A. Cavalerici* Lév., *Erythrina Mairei* Lév., *Vicia Mairei* Lév., *V. coreana* Lév., de l'île Quelpaert. Noms nouveaux: *Elsholtzia lavandulaespecta* Lév. (*Pogostemon lavandulaespecta* Lév.), *Savina kiaometiensis* Lév. (*S. Mairei* Lév.), *Atropathe Mairei* Lév. (*Wahlenbergia Mairei* Lév.), *Anemarrhena Mairei* Lév. (*Ophiopogon Mairei* Lév.).

J. Offner.

Lundström, E., *Plantae in horto botanico Bergiano annis 1912—13 critice examinatae*. [Beobachtungen und Studien bei den in den Jahren 1912—13 ausgeführten Pflanzenbestimmungen im botanischen Garten Bergielund]. (Acta Horti Bergiani. V. N^o 3. 121 pp. 8^o. 8 Taf. 51 Textbild. Stockholm 1914.)

In dieser Abhandlung werden folgende neue Arten, Varietäten und Hybriden beschrieben: *Iris distincta* E. Lundstr., *I. Thunbergii* E. Lundstr., *I. sibirica* L. × *I. Thunbergii* E. Lundstr. n. hybr. Lundstr., *I. setosa* Pall. subsp. *pygmaea* E. Lundstr., *Rheum Wittrockii* E. Lundstr., *Thalictrum foetidum* L. × *T. majus* Murr. n. hybr. E. Lundstr., *T. spectabile* E. Lundstr. n. hybr., *Paeonia anomala* L. × *P. tenuifolia* L. nov. hybr. E. Lundstr., *Delphinium grandiflorum* L. var. *flavopunctatum* E. Lundstr. n. var., *Papaver alpinum* L. subsp. *puniceum* (v. Hayek) E. Lundstr. var. *fumarioides* E. Lundstr. n. var., *P. Bergianum* E. Lundstr. n. hybr., *Geranium dahuricum* D.C. × *G. pratense* L. n. hybr. E. Lundstr., *G. Londesii* Fisch. × *G. pratense* L. n. hybr. E. Lundstr., *G. Bergianum* E. Lundstr. n. hybr., *G. sanguineum* L. f. *macranthum* E. Lundstr. n. form., *G. phaeum* L. var. *lividum* (L'Hér.) Pers. f. *Linnaei* E. Lundstr. n. form., *Agrimonia eupatoria* L. × *E. pilosa* Ledeb. n. hybr. E. Lundstr., *Cerinthe minor* L. var. *campanulata* E. Lundstr. n. var., *Datura Bernhardii* E. Lundstr. n. sp., *Hyoscyamus albus* L. × *H. niger* L. var. *pallidus* Waldst. & Kit. n. hybr. E. Lundstr., *Campanula rapunculoides* L. × *C. trachelium* L. n. hybr. E. Lundstr., *Helianthus annuus* L. × *H. cucumerifolius* Torr.

& Gr. n. hybr. E. Lundstr., *Achillea clypeolata* Sm. \times *A. millefolium* L. n. hybr. E. Lundstr. und *Centaurea nigra* L. \times *C. phrygia* L. n. hybr. E. Lundstr.

Folgende früher beschriebenen Arten werden als Unterarten aufgefasst: *Iris pumila* L. subsp. *attica* (Boiss. & Heldr.) E. Lundstr., subsp. *aequiloba* (Ledeb.) E. Lundstr., *I. chameiris* Bert. subsp. *olbiensis* (Hénon) E. Lundstr., subsp. *italica* (Parl.) E. Lundstr., *I. spuria* L. subsp. *maritima* (Lamarck) E. Lundstr., subsp. *halophila* (Pallas) E. Lundstr., subsp. *subbarbata* (Joo) E. Lundstr. und *Papaver alpinum* L. subsp. *puniceum* (Hayek) E. Lundstr.

Die Beschreibungen der Formen sind von sehr schönen, colorierten Abbildungen begleitet. N. Wille.

Notö, A., Spredte Bemerkninger om Floraen i nordre Trondhjems Amt. [Zerstreute Bemerkungen über die Flora vom nördlichen Drontheim's Amt]. (Det kgl. norske Vid. Selsk. Skrifter. 1913. N^o 3. p. 1—10. Trondhem 1914.)

Diese Abhandlung enthält neue Lokalitäten für Gefäßpflanzen in einer Gegend nördlich von Drontheim. Folgende neue Formen werden kurz beschrieben: *Carex dioica* L. var. *pseudoparallela* Notö und *Potentilla erecta* Dal. Tor. f. *pseudoprocumbens* Notö.

N. Wille.

Smith, W. W., Note on *Rhododendron cyanocarpum*, Franchet (Trans. Bot. Soc. Edinburgh, XXVI. 3. p. 274—277. 1914.)

This plant which was originally published by Franchet as "*Rhododendron Thompsoni* Hook. f. α *cyanocarpum* (species propria)" is now raised definitely to specific rank, a full description being provided by the present author as well as an enumeration of the differences between *R. cyanocarpum* and *R. Thompsoni*.

W. G. Craib (Edinburgh).

Sudre, H., Matériaux pour l'étude du genre *Hieracium*. Fragment IV (1915). (Bull. Géogr. Bot. [XXV]. p. 51—68. 1915.)

Espèces nouvelles: *Hieracium eglandulosum* Sud. de la section *Pilosellina*, *H. Picotianum* Sud. et *H. thlaspidiforme* Sud. de la section *Cerinthoidea*, *H. rimarum* Sud., *H. Fridtzi* Sud., *H. Charrelii* Sud., *H. lividibifidum* Sud., *H. cebennarum* Sud. et *H. lemovicense* Sud. de la section *Picroidea*, *H. Budaianum* Sud. de la section *Accipitrina*. L'auteur décrit en outre de nombreuses variétés et un hybride nouveaux, et passe au crible de sa critique différentes espèces d'Arvet-Touvet; l'exposé seul de ses conclusions exigerait de trop longs développements. J. Offner.

Personalnachrichten.

M. le Prof. **Ch. R. Zeiller**, de l'Institut, est décédé à Paris le 27 novembre 1915 à l'âge de 62 ans. — Died: Dr. **E. L. Greene** on the 10th November 1915 at Washington at the age of 72 years.

Ausgegeben: 11 Januar 1916.

Verlag von Gustav Fischer in Jena.
Buchdruckerei A. W. Sijthoff in Leiden.

F. Kral's bakteriologisches Museum

Wien IX, Zimmermannngasse 3

(Abgabe von Bakterien, Hefen, Pilzen, Musealkulturen, mikroskopischen Präparaten von Mikroorganismen, Photogrammen, Diapositiven und Nährböden).

Wir beabsichtigen das von F. Kral begründete bakteriologische Museum zu ergänzen und eine Centralstelle aller bekannten Mikroorganismen zu schaffen. Aus diesem Grunde ergeht an die P. T. Vorstände der bakteriolog. Institute die Bitte, dem Museum die Listen der Institutssammlung überlassen zu wollen und in Tauschverkehr zu treten.

Die Herren Autoren werden gebeten, die neugezüchteten Originalkulturen dem Museum überlassen zu wollen. Die Kulturen stehen jederzeit dem Autor kostenfrei zur Verfügung.

Priv.-Doz. Dr. ERNST PRIBRAM.

Verlag von Gustav Fischer in Jena.

Dr. ARTHUR MEYER

o. ö. Professor der Botanik und Direktor des
botan. Gartens an der Universität Marburg.

Praktikum der botanischen Bakterienkunde. Einführung in die Methoden der botanischen Untersuchung und Bestimmung der Bakterien-spezies. Zum Gebrauche in botanischen, bakteriologischen und technischen Laboratorien sowie zum Selbstunterrichte. Mit einer farbigen Tafel und 31 Abbildungen im Text. (VII, 157 S.) 1903. Preis: 4 Mark 50 Pf., geb. 5 Mark 20 Pf.

Die Zelle der Bakterien. Vergleichende und kritische Zusammenfassung unseres Wissens über die Bakterienzelle. Für Botaniker, Zoologen und Bakteriologen. Mit 1 chromolithographischen Tafel und 34 Abbildungen im Text. (VI, 285 S. gr. 8^o) 1912. Preis: 12 Mark, geb. 13 Mark.

Inhalt: I. Vorrede. — II. Die Umgrenzung der Eubakterien und die zu den Eubakterien zu rechnenden Gattungen. — III. Die Stellung der Eubakterien im Organismenreiche. — IV. Die Zelle der Bakterien. 1. Die Grösse der Bakterienzelle. 2. Allgemeines über den Bau der Bakterienzelle. 3. Der Zellkern. 4. Das Zytoplasma. 5. Die Plasmodiesmen. 6. Die Geisseln. 7. Die Membran der Zell-läden, Oidien und Sporangien. 8. Die Zellsaftvakuole mit der sie umschliessenden Vakuolenwand und andere Vakuolen. 9. Allgemeines über die organischen Reservestoffe. 10. Die Reservestoffkohlehydrate der Bakterien: Das Glykogen und das Iogen. Mikrochemie der Kohlehydrate. Vorkommen des Glykogens und Iogens bei den Bakterien. 11. Die Fette: Die Reservefette der höheren Pflanzen und der Pilze. Das Fett der Bakterien in chemischer Beziehung. Eigenschaften der Fetttropfen der Bakterien. 12. Das Reservee weiss im weitesten Sinne, besonders das Volutin. 13. Die Schwefeleinschlüsse. 14. Der im Zytoplasma liegende Farbstoff der Purpurbakterien: Die Farbe der Bakterien. Das spektroskopische Verhalten der Farbstoffe der Purpurbakterien. Beziehungen zwischen dem Farbstoffe und der Reizbewegung der Purpurbakterien. Ist der Farbstoff der Purpurbakterien ein Chromophyll? — Literatur. — Tafelbeschreibung.

Die Grundlagen und die Methoden für die mikroskopische

Untersuchung von Pflanzenpulvern. Eine Einführung in die wissenschaftlichen Methoden der mikroskopischen Untersuchung von Gewürzen, pflanzlichen Arzneimitteln, Nahrungsmitteln, Futtermitteln, Papieren, Geweben usw. Zum Gebrauche in den Laboratorien der Hochschulen und zum Selbstunterrichte. Für Nahrungsmittelchemiker, Apotheker, Techniker usw. Mit 8 Tafeln und 18 Abbildungen im Text. (V, 258 S. gr. 8^o) 1901. Preis: 6 Mark.



Verlag von Gustav Fischer in Jena.

10
Bände.

HANDWÖRTERBUCH DER NATUR- WISSENSCHAFTEN

1912
bis
1915.

Herausgegeben von

Prof. Dr. E. Korschelt - Marburg (Zoologie), Prof. Dr. G. Linck - Jena (Mineralogie und Geologie), Prof. Dr. F. Oltmanns - Freiburg (Botanik), Prof. Dr. K. Schaum - Leipzig (Chemie), Prof. Dr. H. Th. Simon - Göttingen (Physik), Prof. Dr. M. Verworn - Bonn (Physiologie) und Dr. E. Teichmann - Frankfurt a. M. (Hauptredaktion).

Zehn Bände.

Auf 12080 Seiten Text: 777 selbständige Aufsätze mit 8863 Abbildungen und 627 Biographien, verfasst von 400 Mitarbeitern. 360 Seiten Sachregister.

1912—1915.

Unbeeinflusst durch die mit dem Kriege eingetretenen schwierigen Verhältnisse ist das „Handwörterbuch der Naturwissenschaften“, den früheren Ankündigungen entsprechend innerhalb dreier Jahre (Anfang 1912 bis Anfang 1915) zum Abschluss gelangt.

Überall in der ganzen gebildeten Welt ist dieses umfassende Werk mit lebhafter Freude begrüsst worden. Die Drucklegung ist mit einer Schnelligkeit erfolgt, wie sie bisher kaum bei irgendeinem Sammelwerk ähnlicher Art erreicht worden ist; dadurch hat es sich von vornherein besondere Sympathien erworben. Zugleich bietet gerade dieses rasche Erscheinen die Gewähr für die grösstmögliche Einheitlichkeit des Ganzen und die Berücksichtigung der neuen Forschungsergebnisse in allen Bänden des Werkes.

Ein ausserordentlich ausführliches, 360 Seiten (= 1080 Spalten) umfassendes Sachregister ermöglicht ausgiebigste Benutzung.

Preis: 200 Mark, in Halbfranz geb. 230 Mark

„... eine Kulturtat von höchster Bedeutung.“ (Techn. Monatshefte.)

„... eine hervorragende Schöpfung deutschen Geistes und deutschen Gelehrtenfleisses.“
(Rhein. Hochschulzeitung.)

„... eine der grossartigsten Unternehmungen auf dem Gebiete der Bibliographie.“
(Wiener klin. Wochenschr.)

„... ein Werk, das weit in alle Welt hinausgehen wird, um dort von deutschem Gelehrtenfleiss und deutscher Gründlichkeit Kunde zu geben.“
(Neue Freie Presse, Wien.)

„... eine Universalität des naturwissenschaftlichen Wissens.“
(Pharmazeut. Post.)

„... eine Bibliothek im kleinen, die über alle Fragen des grossen Gebietes der Naturwissenschaften Aufschluss erteilt.“
(Zentrabl. f. Zoologie.)

„... ein monumentales Werk, dem die Literatur anderer Völker Ähnliches bisher nicht an die Seite zu stellen hat.“
(Mikrokosmos.)

„... Es ist staunenerregend, was hier an naturwissenschaftlichem Wissen und Können zusammengetragen worden ist.“
(Apotheker-Zeitung.)